

## NT 30/1 AP L

Our NT 30/1 Ap L is a compact wet and dry vacuum cleaner in the middle class with excellent suction power, high-quality and long-lasting components and a wide variety of equipment.



Made in Europe



### Order no.

1.148-221.0

- 30-l container, dust class L, integrated power cable/accessory storage
- Semi-automatic Ap filter cleaning
- 300 mm floor nozzle, crevice nozzle, Dry flat pleated filter

### Technical data


|                            |            |                 |
|----------------------------|------------|-----------------|
| EAN code                   |            | 4054278048192   |
| Number of current phases   | Ph         | 1               |
| Voltage                    | V          | 220 - 240       |
| Frequency                  | Hz         | 50 - 60         |
| Air flow                   | l/s        | 74              |
| Vacuum                     | mbar / kPa | 273 / 27.3      |
| Container capacity         | l          | 30              |
| Container material         |            | Plastic         |
| Rated input power          | W          | max. 1380       |
| Standard nominal width     |            | ID 35           |
| Cable length               | m          | 7.5             |
| Sound pressure level       | dB(A)      | 70              |
| Colour                     |            | anthracite      |
| Weight without accessories | kg         | 11.8            |
| Weight incl. packaging     | kg         | 15.6            |
| Dimensions (L × W × H)     | mm         | 525 × 370 × 560 |

### Scope of supply

|                             |                      |
|-----------------------------|----------------------|
| Suction hose length:        | 2.5 m                |
| Bend:                       | Plastic              |
| Quantity of suction tubes:  | 2 Piece(s)           |
| Suction tubes length:       | 550 mm               |
| Suction tubes material:     | Steel, chrome-plated |
| Quantity of filter bags:    | 1 Piece(s)           |
| Filter bag material:        | Fleece               |
| Wet/dry floor nozzle width: | 300 mm               |
| Crevice nozzle              |                      |
| Flat pleated filter:        | Cellulose            |

### Equipment

|                                                    |                                   |
|----------------------------------------------------|-----------------------------------|
| Automatic cut-out features at max. filling quality |                                   |
| Filter cleaning:                                   | Semi-automatic Ap filter cleaning |
| Protection class:                                  | II                                |
| Stop swivel castor                                 |                                   |



## Semi-automatic Ap filter cleaning

- Semi-automatic filter cleaning guarantees constantly high suction power.
- The positioning of the Ap cleaning button simplifies handling.



## Flexible hose and power cable storage

- Enables secure fixing of hoses of different lengths and diameters.
- Transport-proof storage of the power cable.



## Removable filter casing

- Permits dust-free removal of the filter.
- Effectively prevents incorrect insertion of the flat pleated filter.

## ACCESSORIES FOR NT 30/1 AP L

### 1.148-221.0



|                                                                                                                                             |    | Order no.   | Description                                                                                                                                                                                    |   |
|---------------------------------------------------------------------------------------------------------------------------------------------|----|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| <b>FLAT PLEATED FILTER, STANDARD, BIA C OR UP TO DUST CLASS M</b>                                                                           |    |             |                                                                                                                                                                                                |   |
| <b>Flat pleated filter, paper</b>                                                                                                           |    |             |                                                                                                                                                                                                |   |
| Dry flat pleated filter                                                                                                                     | 1  | 6.904-367.0 | Dry flat pleated filter made from cellulose fibre material with a green label. Suitable for vacuuming fine dust and coarse dirt from dust classes L and M.                                     | ■ |
| <b>Flat pleated filter, PTFE</b>                                                                                                            |    |             |                                                                                                                                                                                                |   |
| Ultimate flat pleated filter                                                                                                                | 2  | 6.907-455.0 | Ultimate flat pleated filter made from PES/PTFE fibre material with a black label. For the toughest applications when vacuuming liquids, fine dust and coarse dirt from dust classes M and L.  | □ |
| Wet & Dry flat pleated filter, PES fibre material with PTFE coating, blue label                                                             | 3  | 6.907-662.0 | Wet & Dry flat pleated filter made from PES fibre material with PTFE coating with a blue label. Suitable for vacuuming liquids, fine dust and coarse dirt from the M and L dust classes.       | □ |
| <b>BENDS</b>                                                                                                                                |    |             |                                                                                                                                                                                                |   |
| <b>Bend, plastic</b>                                                                                                                        |    |             |                                                                                                                                                                                                |   |
| Bend, NT, DN 35, plastic, clip 2.0 at hose end, cone at accessory end                                                                       | 4  | 2.889-170.0 | Ergonomic DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.                                  | ■ |
| Bend with air-flow regulator, T, DN 35, plastic, antistatic, clip 2.0 at hose end, cone at accessory end                                    | 5  | 2.889-148.0 | Antistatic, ergonomic bends with air-flow regulator in size DN 35 for dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.     | □ |
| Bend, NT, DN 35, plastic, electrically conductive, clip 2.0 at hose end, cone at accessory end                                              | 6  | 2.889-168.0 | Electrically conductive, ergonomic plastic bend in size DN 35 for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end. | □ |
| <b>SUCTION NOZZLES</b>                                                                                                                      |    |             |                                                                                                                                                                                                |   |
| <b>Floor nozzles</b>                                                                                                                        |    |             |                                                                                                                                                                                                |   |
| Wet/dry floor nozzle, DN 35, width 300 mm                                                                                                   | 7  | 2.899-691.0 | For wet and dry vacuum cleaners from Kärcher: plastic floor nozzle in nominal size DN 35. Features brush strips and squeegees that are easy to change. Width: 300 mm.                          | ■ |
| Wet/dry floor nozzle, Adv, DN 35, width 360 mm                                                                                              | 8  | 2.889-152.0 | For wet/dry cleaning: plastic Adv floor nozzle with width of 360 mm and nominal size of DN 35. Includes brush strips and squeegees that are easy to change.                                    | □ |
| <b>Crevice nozzles</b>                                                                                                                      |    |             |                                                                                                                                                                                                |   |
| Crevice nozzle, DN 35, plastic, 225 mm long                                                                                                 | 9  | 2.889-159.0 | Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.                                                                        | ■ |
| <b>Car cleaning nozzles</b>                                                                                                                 |    |             |                                                                                                                                                                                                |   |
| Ergonomic car nozzle, ID 35, 100 mm                                                                                                         | 10 | 2.889-356.0 | Ergonomic and compact DN 35 car cleaning nozzle made from plastic with a working width of 100 mm for vehicle interior cleaning. Suitable for all wet and dry vacuum cleaners with DN 35 bends. | □ |
| Car nozzle, ID 35, 90 mm                                                                                                                    | 11 | 6.906-108.0 | Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.                                     | □ |
| <b>Rubber suction tools, nose 45°</b>                                                                                                       |    |             |                                                                                                                                                                                                |   |
| Rubber suction tool, nose 45°                                                                                                               | 12 | 6.902-104.0 | 45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.                                                                             | □ |
| <b>Suction brushes</b>                                                                                                                      |    |             |                                                                                                                                                                                                |   |
| Suction brush                                                                                                                               | 13 | 6.903-862.0 | Rotatable suction brush (DN 35) with high-quality synthetic hair bristles. Dimensions of the brush attachment: 70 x 45 mm.                                                                     | □ |
| <b>SUCTION TUBES</b>                                                                                                                        |    |             |                                                                                                                                                                                                |   |
| <b>Suction tubes, metal</b>                                                                                                                 |    |             |                                                                                                                                                                                                |   |
| Suction tube, 2 x, NT, DN 35, 550 mm long, chrome-plated steel, suitable for: NT 27/1, NT 30/1, NT 40/1, NT 50/1, NT 55/1, NT 65/2, NT 75/2 | 14 | 2.889-191.0 | The suction tube set consists of 2 chrome-plated steel suction tubes for Kärcher wet and dry vacuum cleaners, nominal width DN 35 and each suction tube is 550 mm long.                        | ■ |

■ Included in the scope of supply. □ Available accessories.

## ACCESSORIES FOR NT 30/1 AP L

### 1.148-221.0



|                                                                                                     |    | Order no.   | Description                                                                                                                                                                                                 |   |
|-----------------------------------------------------------------------------------------------------|----|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| <b>SUCTION HOSES</b>                                                                                |    |             |                                                                                                                                                                                                             |   |
| <b>Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)</b> |    |             |                                                                                                                                                                                                             |   |
| Suction hose, NT, DN 35, length 2.5 m, clip 2.0, bayonet 2.0                                        | 15 | 2.889-134.0 | The suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.                                                                            | ■ |
| Suction hose, NT, DN 35, length 4 m, clip 2.0, bayonet 2.0                                          | 16 | 2.889-135.0 | The suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.                                                                              | □ |
| Suction hose, NT, DN 35, length 2.5 m, electrically conductive, clip 2.0, bayonet 2.0               | 17 | 2.889-136.0 | The electrically conductive suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.                                                                 | □ |
| Suction hose, NT, DN 35, length 4 m, electrically conductive, clip 2.0, bayonet 2.0                 | 18 | 2.889-137.0 | The electrically conductive suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.                                                      | □ |
| Suction hose, NT, DN 40, length 4 m, clip 2.0, bayonet 2.0                                          | 19 | 2.889-138.0 | The suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.                                                                                           | □ |
| Suction hose, NT, DN 40, length 2.5 m, clip 2.0, bayonet 2.0                                        | 20 | 2.889-139.0 | The suction hose in nominal width DN 40 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.                                                                            | □ |
| Suction hose, NT, DN 40, length 4 m, oil-resistant, clip 2.0, bayonet 2.0                           | 21 | 2.889-140.0 | The oil-resistant suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.                                                                | □ |
| Suction hose, NT, DN 40, length 4 m, electrically conductive, clip 2.0, bayonet 2.0                 | 22 | 2.889-141.0 | The electrically conductive suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.                                                                   | □ |
| Extension hose, T and NT, DN 35, length 2.5 m, clip 2.0, connecting adapter                         | 23 | 2.889-145.0 | The extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners and dry vacuum cleaners from Kärcher.                                                  | □ |
| Repair kit for suction hoses DN 35, Clip 2.0                                                        | 24 | 2.889-149.0 | Repair kit ID 35 for the new clip system.                                                                                                                                                                   | □ |
| <b>FILTER BAGS</b>                                                                                  |    |             |                                                                                                                                                                                                             |   |
| <b>Fleece filter bags</b>                                                                           |    |             |                                                                                                                                                                                                             |   |
| Fleece filter bags, 5 Piece(s), NT 30/1                                                             | 25 | 2.889-154.0 | Tear-resistant 3-layer fleece filter bags of dust class M, suitable for Kärcher wet and dry vacuum cleaners. Made from 40% recycled plastic. Contents: 5-pack.                                              | □ |
| <b>FILTER T/ NT</b>                                                                                 |    |             |                                                                                                                                                                                                             |   |
| <b>Fabric filter</b>                                                                                |    |             |                                                                                                                                                                                                             |   |
| Membrane filter, NT 30/1, NT 40/1, NT 50/1                                                          | 26 | 2.889-281.0 | Additional membrane filter made from non-woven fabric for machines in the Tact and Ap range. To be pulled directly over the container, it enables vacuuming without a filter bag. Can be washed and reused. | □ |
| <b>CONNECTING SLEEVES</b>                                                                           |    |             |                                                                                                                                                                                                             |   |
| <b>Connection adapter C ID (clip to cone)</b>                                                       |    |             |                                                                                                                                                                                                             |   |
| Adapter clip DN 35 on cone DN 35                                                                    | 27 | 5.407-005.0 | Adapter clip system DN 35 for connecting suction tubes and small nozzles to cone DN 35. Perfect for vehicle interior cleaning, even without the connection of other nozzles.                                | □ |
| <b>OTHER ACCESSORIES NT</b>                                                                         |    |             |                                                                                                                                                                                                             |   |
| Drilling dust nozzle                                                                                | 28 | 2.679-000.0 | Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.                                                                                   | □ |

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR NT 30/1 AP L  
1.148-221.0



|                                                  |    | Order no.   | Description                                                                                                                                                                             |                          |
|--------------------------------------------------|----|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| OTHER ACCESSORIES NT                             |    |             |                                                                                                                                                                                         |                          |
| Adapter clip new on clip old DN 35               | 29 | 2.889-312.0 | Adapter for connection of hoses of the new accessory system of dry and wet and dry vacuum cleaners to bends or extension hoses of the old system. For nominal width DN 35.              | <input type="checkbox"/> |
| Adapter for NT hoses with bayonet connection 1.0 | 30 | 5.031-436.0 | Electroconductive adapter for connecting NT hoses with bayonet 1.0 connection of nominal widths DN 35, 40, 50 to the new accessory system for wet and dry vacuum cleaners from Kärcher. | <input type="checkbox"/> |

☐ Available accessories.