

NT 30/1 TACT TE H

With a guaranteed filtration efficiency of 99.995% and ACD certification, the wet and dry vacuum cleaner is the first choice when it comes to removing hazardous dust from dust class H.



Order no.

1.148-257.0

- 30-litre container, complete antistatic system, dust class H
- Tact sensor-controlled filter cleaning system, ACD certification, device socket
- Electrically conductive accessories, Safety/HEPA flat pleated filter, tool adapter

Technical data

EAN code		4054278483672
Number of current phases	Ph	1
Voltage	V	220 - 240
Frequency	Hz	50 - 60
Air flow	l/s	74
Vacuum	mbar / kPa	273 / 27.3
Container capacity	l	30
Rated input power	W	max. 1380
Standard nominal width		ID 35
Cable length	m	7.5
Cable material		Rubber
Sound pressure level	dB(A)	69
Colour		anthracite
Weight without accessories	kg	14.4
Weight incl. packaging	kg	19.6
Dimensions (L × W × H)	mm	560 × 370 × 580

Scope of supply

Safety filter bag: 1 Piece(s)
Suction hose length: 4 m
Suction hose type: electrically conductive
Quantity of suction tubes: 2 Piece(s)
Suction tubes length: 550 mm
Suction tubes material: Stainless steel
Bend: electrically conductive
Quantity of filter bags: 1 Piece(s)
Filter bag material: Fleece
Wet/dry floor nozzle width: 360 mm
Crevice nozzle
Power tool connection adapter
Flat pleated filter: PTFE HEPA
PE plastic bag for dust-free disposal: 1 Piece(s)

Equipment

Automatic switch-on/off for electric devices
Antistatic system
Sturdy bumper
Protection class: I
Stop swivel castor
Filter cleaning: Sensor-controlled, needs-oriented Tact filter cleaning
Container material: Plastic



Filtration system with H filter and Tact filter cleaning system

- Sucks less dangerous dust directly into the container. Filtration efficiency: 99.995 per cent.
- The greatest possible health protection without sacrificing suction power or filter endurance.



Fulfills testing requirements for dust class H, with additional test for "Asbestos" in accordance with TRGS 519


- In Germany, only safety vacuum cleaners with this licence are allowed to be used to vacuum dust that contains asbestos.



ACD certification

- Approved for vacuuming combustible dusts.
- Certified according to IEC 60335-2-69:2021.
- Increased user safety.

EQUIPMENT FOR NT 30/1 TACT TE H 1.148-257.0



		Order no.	Description	
FILTER T/ NT				
Flat pleated filter HEPA, dust class H				
Flat pleated filter, PTFE H class	1	6.907-671.0	Safety/HEPA flat pleated filter made from PES/PTFE fibre material with a red label. Certified for dust class H. For vacuuming hazardous dusts, coarse dirt and liquids.	■
HEPA surface filter	2	6.904-242.0	HEPA-14 (H14) flat pleated filter for Kärcher wet and dry vacuum cleaners. Suitable for vacuuming hazardous dusts, coarse dirt and liquids.	□
Plastic sacks for dust-free disposal				
Plastic bag for dust-free disposal, 10 Piece(s), NT 30/1, NT 40/1, NT 50/1	3	2.889-158.0	PE plastic sack for dust-free disposal.	□
	4	2.889-231.0	PU plastic bag for dust-free disposal. Pack of 10.	□
Safety filter sets / sacks				
Safety filter bag, 5 Piece(s), NT 30/1	5	2.889-183.0	Safety filter set with dust disposal bag, for dust class H safety vacuum cleaners. Guarantees the dust-free disposal of dangerous dust.	□
BENDS				
Plastic bend				
Elbow complete packaged NW35 2K	6	2.889-168.0	Electrically conductive, ergonomic plastic bend in size DN 35 for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	■
Elbow packaged NW35 2K	7	2.889-170.0	Ergonomic DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	□
SUCTION NOZZLES				
All-purpose nozzles (wet/dry)				
Floor tool packaged NW35 360mm	8	2.889-152.0	For wet/dry cleaning: plastic Adv floor nozzle with width of 360 mm and nominal size of DN 35. Includes brush strips and squeegees that are easy to change.	■
Floor tool anthracite packaged NW35	9	2.889-173.0	Plastic floor nozzle in nominal size DN 35 for wet and dry vacuuming of fine dust, coarse dirt or liquids. Features brush strips and squeegees. Width: 300 mm.	□
Crevice nozzles				
Crevice nozzle wet and dry packaged NW35	10	2.889-159.0	Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.	■
Car cleaning nozzles				
Car nozzle, ID 35, 90 mm	11	6.906-108.0	Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.	□
SUCTION TUBES				
Suction tubes stainless steel				
Set suction tube stainless steel NW35 55	12	2.889-192.0	The suction tube set consists of 2 suction tubes made of high-quality stainless steel (DN 35 and 550 mm long each). For Kärcher wet and dry vacuum cleaners.	■
Suction tubes metal				
Set suction tube chromed NW35 550mm	13	2.889-191.0	The suction tube set consists of 2 chrome-plated steel suction tubes for Kärcher wet and dry vacuum cleaners, nominal width DN 35 and each suction tube is 550 mm long.	□
SUCTION HOSES				
Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)				
Electrically conductive suction hose	14	2.889-137.0	The electrically conductive suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	■

■ Included in delivery. □ Available accessories.

EQUIPMENT FOR NT 30/1 TACT TE H

1.148-257.0



	Order no.	Description	
SUCTION HOSES			
Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)			
Suction hose	15	2.889-135.0	The suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher. <input type="checkbox"/>
Electrically conductive suction hose	16	2.889-136.0	The electrically conductive suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners. <input type="checkbox"/>
Suction hose	17	2.889-138.0	The suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners. <input type="checkbox"/>
	18	2.889-139.0	The suction hose in nominal width DN 40 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher. <input type="checkbox"/>
Suction hose, oil-resistant	19	2.889-140.0	The oil-resistant suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher. <input type="checkbox"/>
Electrically conductive suction hose	20	2.889-141.0	The electrically conductive suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners. <input type="checkbox"/>
	21	2.889-142.0	The electrically conductive suction hose in nominal width DN 40 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners. <input type="checkbox"/>
Extension hose packaged NW35 2.5m	22	2.889-145.0	The extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners and dry vacuum cleaners from Kärcher. <input type="checkbox"/>
Repair set NW35	23	2.889-149.0	Repair kit ID 35 for the new clip system. <input type="checkbox"/>
Extension hose conductive packaged NW35	24	2.889-343.0	The electrically conductive extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners. <input type="checkbox"/>
CONNECTING SLEEVES			
Adapter for electric power tools, clip on, el.			
Sleeve electrically conducting packaged	25	2.889-151.0	Tool adapter with rubber attachment and false air rotating ring suitable for regulating suction power when working with power tools. Compatible with suction hoses with clip 2.0 connection in DN 35. <input checked="" type="checkbox"/>
Connecting sleeve C-DN (clip on taper), EL (electroconductive)			
Connection cone NW35	26	5.407-005.0	Adapter clip system DN 35 for connecting suction tubes and small nozzles to cone DN 35. Perfect for vehicle interior cleaning, even without the connection of other nozzles. <input type="checkbox"/>
OTHER ACCESSORIES FOR T AND NT			
Drilling dust tool	27	2.679-000.0	Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher. <input type="checkbox"/>
Adapter old packaged NW35	28	2.889-312.0	Adapter for connection of hoses of the new accessory system of dry and wet and dry vacuum cleaners to bends or extension hoses of the old system. For nominal width DN 35. <input type="checkbox"/>

■ Included in delivery. □ Available accessories.

EQUIPMENT FOR NT 30/1 TACT TE H 1.148-257.0



		Order no.	Description	
OTHER ACCESSORIES FOR T AND NT				
Adapter connection old elektr. leitend	29	5.031-436.0	Electroconductive adapter for connecting NT hoses with bayonet 1.0 connection of nominal widths DN 35, 40, 50 to the new accessory system for wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>

Available accessories.