NT 40/1 TACT BS *EU

The NT 40/1 Tact Bs provides the ideal cleaning solution, specific for bakeries. Perfectly suitable for both floor cleaning and the vacuuming of bakery ovens, thanks to the automatic filter cleaning system.



Made in Europe

Order no. **1.148-340.0**

- 40-l container, for bakeries and flour dust, antistatic preparation, push handle
- Automatic Tact filter cleaning, sturdy metal lock latches
- Crevice nozzle, Wet & Dry flat pleated filter

Technical data

EAN code		4054278224688
Number of current phases	**Ph**	1
Voltage	**V**	220 – 240
Frequency	**Hz**	50 – 60
Air flow	**l/s**	74
Vacuum	**mbar / kPa**	273 / 27.3
Container capacity	**l**	40
Rated input power	**W**	max. 1380
Standard nominal width		ID 40
Cable length	**m**	7.5
Sound pressure level	**dB(A)**	68
Colour		Anthracite
Weight without accessories	**kg**	16.2
Weight incl. packaging	**kg**	19.5
Dimensions (L × W × H)	**mm**	650 × 370 × 1100

Scope of supply

Crevice nozzle

Flat pleated filter: PES with PTFE coating

Push handle

Equipment

Automatic cut-out features at max. filling quality

Container material: Plastic

Filter cleaning: Tact - Auto Filter Clean System

Sturdy bumper

Protection class: II

Stop swivel castor

Antistatic preparation





Ideal for bakeries and cake shops

- Optional accessory kits specially for use in bakeries.



Special lock latches made from metal

- Allow certification as explosion-proof machine.
- Permit approval for vacuuming potentially hazardous flour dust.



Heat-resistant PES flat pleated filter


- Allows vacuuming of problematic dust in bakeries.

NT 40/1 Tact Bs *EU, 1.148-340.0, 2026-10-30

KÄRCHER

EQUIPMENT FOR NT 40/1 TACT BS *EU
1.148-340.0


1


2


3



4


5


6


7


8


9

		Order no.	Description	
FLAT PLEATED FILTER, STANDARD, BIA C OR UP TO DUST CLASS M				
Flachfaltenfilter (PTFE)				
Flat-pleated filter packaged PES	1	6.907-662.0	Wet & Dry flat pleated filter made from PES fibre material with PTFE coating with a blue label. Suitable for vacuuming liquids, fine dust and coarse dirt from the M and L dust classes.	■
SUCTION NOZZLES				
Crevice nozzles				
Crevice nozzle wet and dry packaged NW40	2	2.889-160.0	Crevice nozzle ID 40, for new Tact range.	■
Baking oven nozzle				
Baking oven nozzle, ID 35, 350mm	3	4.130-104.0	Aluminium, for cleaning ovens with squeegee 6.900-517.0 and support squeegee 6.900-518.0, each 2x.	☐
Baking oven nozzle, ID 35	4	4.130-173.0	For cleaning baking ovens with scratch bar.	☐
FILTER BAGS				
Fleece filter bags (3 ply)				
Fleece filter bags, 5 Piece(s), NT 40/1, NT 45/1, NT 55/1	5	6.907-480.0	Tear-resistant 3-layer fleece filter bags of dust class M, suitable for Kärcher wet and dry vacuum cleaners. Contents: 5-pack.	☐
	6	6.907-361.0	Tear-resistant fleece filter bags of dust class M, suitable for Kärcher wet and dry vacuum cleaners. Contents: 5-pack.	☐
SUCTION HOSES				
Suction hoses with cone connection				
Special suction hose, ID 35, heat-resistant	7	4.440-731.0	The temperature-resistant specialist suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with all NT vacuum cleaners for bakeries.	☐
TARGET GROUP SPECIFIC VACUUM CLEANER ACCESSORY SETS				
Oven kit	8	2.640-341.0	Extensive wet and dry accessory kit in nominal size DN 35 for Kärcher vacuum cleaners for cleaning ovens in bakeries. The oven kit comprises two suction tubes, a suction hose and a nozzle.	☐
Bakery kit	9	2.640-436.0	Accessory kit for extraction and cleaning of bakeries, equipment, shelves, etc. Ideal for pastry shops, patisseries and similar applications.	☐

■ Included in delivery. ☐ Available accessories.