

## NT 22/1 AP TE L \*110V

Perfect for tradespeople: NT 22/1 Ap wet and dry vacuum cleaner with device socket (with auto-start feature), strong suction power and semi-automatic cleaning system. Compact, lightweight entry-level device.



### Order no.

1.378-614.0

- 22-litre container, 110 V construction site version, low weight, dust class L
- Semi-automatic Ap filter cleaning, device socket with automatic start
- 300 mm floor nozzle, crevice nozzle, PES cartridge filter, tool adapter

### Technical data

EAN code		4054278290546
Number of current phases	Ph	1
Voltage	V	120 - 120
Frequency	Hz	50 - 60
Air flow	l/s	71
Vacuum	mbar / kPa	245 / 24.5
Container capacity	l	22
Container material		Plastic
Rated input power	W	max. 1200
Standard nominal width		ID 35
Cable length	m	6
Sound pressure level	dB(A)	72
Colour		anthracite
Weight without accessories	kg	6.7
Weight incl. packaging	kg	9.5
Dimensions (L × W × H)	mm	380 × 372 × 503

### Scope of supply

Suction hose length:	1.9 m
Bend:	Plastic
Quantity of suction tubes:	2 Piece(s)
Suction tubes length:	505 mm
Suction tubes material:	Steel, chrome-plated
Quantity of filter bags:	1 Piece(s)
Filter bag material:	Fleece
Wet/dry floor nozzle width:	300 mm
Crevice nozzle	
Cartridge filter:	PES
Power tool connection adapter	


### Equipment

Automatic switch-on/off for electric devices	
Filter cleaning:	Semi-automatic Ap filter cleaning
Protection class:	I
Stop swivel castor	



## Low weight and compact dimensions

- The machine is easy and convenient to transport and store.



## Semi-automatic Ap filter cleaning

- Optimum filter cleaning efficiency at the push of a button.
- Enables consistently high filter performance and suction power.
- Time-saving design and longer filter service life.



## Moisture-resistant PES cartridge filter

- Easy switching between wet and dry vacuum cleaner operation.
- The PES cartridge filter does not need to be dried before use.
- Sustainability: the PES cartridge filter is washable.

## EQUIPMENT FOR NT 22/1 AP TE L \*110V

### 1.378-614.0



		Order no.	Description	
<b>CARTRIDGE FILTER, STANDARD, BIA C OR UP TO DUST CLASS M</b>				
<b>Cartridge filter PES</b>				
Cartridge filter packaged PES	1	2.889-219.0	Moisture-resistant PES cartridge filter for wet and dry vacuum cleaning. Dust class L-certified.	■
<b>BENDS</b>				
<b>Plastic bend</b>				
Elbow packaged NW35 1K	2	2.889-199.0	DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	■
Elbow electrically conducting packaged N	3	2.889-148.0	Antistatic, ergonomic bends with air-flow regulator in size DN 35 for dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	□
Elbow complete packaged NW35 2K	4	2.889-168.0	Electrically conductive, ergonomic plastic bend in size DN 35 for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	□
Elbow packaged NW35 2K	5	2.889-170.0	Ergonomic DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	□
<b>SUCTION NOZZLES</b>				
<b>All-purpose nozzles (wet/dry)</b>				
Floor tool packaged NT Entry Class DN35	6	2.899-811.0	Plastic wet/dry floor nozzle with parking hook, brush strips and squeegees in DN 35. For wet and dry vacuuming of fine dust, coarse dirt or liquids. Width of 300 mm.	■
Floor tool packaged NW35 360mm	7	2.889-152.0	For wet/dry cleaning: plastic Adv floor nozzle with width of 360 mm and nominal size of DN 35. Includes brush strips and squeegees that are easy to change.	□
<b>Crevice nozzles</b>				
Crevice nozzle wet and dry packaged NW35	8	2.889-159.0	Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.	■
<b>Car cleaning nozzles</b>				
Ergonomic car nozzle, ID 35, 100 mm	9	2.889-356.0	Ergonomic and compact DN 35 car cleaning nozzle made from plastic with a working width of 100 mm for vehicle interior cleaning. Suitable for all wet and dry vacuum cleaners with DN 35 bends.	□
Car nozzle, ID 35, 90 mm	10	6.906-108.0	Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.	□
<b>SUCTION TUBES</b>				
<b>Suction tubes metal</b>				
Suction tube chromed NW35 - 505mm	11	6.902-074.0	Chrome-plated steel suction tube for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners, nominal width DN 35 and 505 mm long.	■
<b>Suction tubes plastic</b>				
Set suction tube DN35 505mm	12	2.889-218.0	The suction tube set consists of 2 suction tubes made of high-quality plastic (DN 35 and 505 mm long each). For the HV 1/1 Bp battery-powered hand vacuum cleaner as well as wet and dry vacuum cleaners from Kärcher.	□
<b>CONNECTING SLEEVES</b>				
<b>Adapter for electric power tools, clip on, el.</b>				
Sleeve electrically conducting packaged	13	2.889-151.0	Tool adapter with rubber attachment and false air rotating ring suitable for regulating suction power when working with power tools. Compatible with suction hoses with clip 2.0 connection in DN 35.	■
<b>Connecting sleeve C-DN (clip on taper), EL (electroconductive)</b>				
Connection cone NW35	14	5.407-005.0	Adapter clip system DN 35 for connecting suction tubes and small nozzles to cone DN 35. Perfect for vehicle interior cleaning, even without the connection of other nozzles.	□

■ Included in delivery. □ Available accessories.

## EQUIPMENT FOR NT 22/1 AP TE L \*110V 1.378-614.0



	Order no.	Description	
<b>VACUUMS</b>			
<b>Nozzles</b>			
Flexible Crevice Nozzle	15	2.863-374.0 Flexible crevice nozzle for cleaning hard-to-reach areas in the home, basement, workshop, car, etc. with Home & Garden wet and dry vacuum cleaners and spray extraction cleaners.	<input type="checkbox"/>
<b>FILTER BAGS</b>			
<b>Fleece filter bags (3 ply)</b>			
Fleece filter bags, 5 Piece(s), NT 22/1	16	2.889-217.0 Tear-resistant 3-layer fleece filter bags of dust class L, suitable for Kärcher wet and dry vacuum cleaners. Contents: 5-pack.	<input type="checkbox"/>
<b>SUCTION HOSES</b>			
<b>Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)</b>			
Suction hose	17	2.889-134.0 The suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
Electrically conductive suction hose	18	2.889-136.0 The electrically conductive suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>
Extension hose packaged NW35 2.5m	19	2.889-145.0 The extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
<b>OTHER ACCESSORIES FOR T AND NT</b>			
Drilling dust tool	20	2.679-000.0 Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
Adapter old packaged NW35	21	2.889-312.0 Adapter for connection of hoses of the new accessory system of dry and wet and dry vacuum cleaners to bends or extension hoses of the old system. For nominal width DN 35.	<input type="checkbox"/>

Available accessories.