B 260 RI BP

The ride-on scrubber drier B 260 RI Bp, which is equipped with 260 l tanks and has been developed for the toughest industrial applications, with its driving speed of up to 10 km/h.



Made in Europe

WHEEL ANGLE SENSOR

KIK

AUTOFILL

EASY-Operation

Order no.	1.480-257.0

- Adjustable brush contact pressure
- EASY Operation selector switch
- Scrubbing and sweeping in one go


Technical data		
EAN code		4054278954356
Drive type		Battery
Traction drive		traction motor
Working width, brushes	cm	100 – 120
Working width, vacuuming	cm	114 – 134
Fresh/dirty water tank		260 / 260
Theoretical area performance	m²/h	max. 12000
Practical area performance	m²	8400
Battery	V	36
Driving speed	km/h	max. 10
Climbing ability	%	max. 15
Brush contact pressure	kg	150
aisle turning width	cm	212
Water consumption	l/min	max. 9
Sound pressure level	dB(A)	73
Permissible total weight	kg	1840
Weight without accessories	kg	499
Dimensions (L × W × H)	mm	1950 × 1040 × 1570

This machine requires instruction.

Scope of supply
Squeegee, curved

Equipment
Auto Fill
Patented tank rinsing system
Powerful traction drive
Automatic water stop
Parking brake
Adjustable steering wheel
Solenoid valve
Two-tank system
standard daytime driving light
Type of suction lips: Linatex®
Kärcher colour and operating concept
Kärcher Intelligent Key System (KIK) with over 30 user languages and individual user rights
Home Base fastening possibilities for mop or similar
speed reduction in curves for increased safety
electrical and mechanical float switch
Easy Operation selector switch

B 260 RI Bp, 1.480-257.0, 2026-11-06





Newly developed roller brush head

- Greatly improved sweeping results and prevents squeegee blockages.
- The rollers can be changed in a matter of seconds and without tools.
- Excellent cleaning results.



10 km/h driving speed

- Enables a high area performance in next to no time and quick transportation operations.
- The steering angle sensor acts as a safety feature when driving in curves.
- There is automatic braking if speed is too high when driving in curves.



Includes two turbines as standard

- Excellent vacuuming results on all surfaces.
- Wear-free Ec turbines.
- Optimised airflow with the newly developed squeegee.

B 260 RI Bp, 1.480-257.0, 2026-11-06


KÄRCHER

SUSTAINABILITY ASPECTS OF B 260 RI BP 1.480-257.0


Sustainability aspects of Beyond Cleaning		
Standby Mode		
eco!Mode (Energy and Water Saving Mode)		

KÄRCHER


EQUIPMENT FOR B 260 RI BP
1.480-257.0


1



2


3


4


5


6


9


10


11


12


13


14

		Order no.	Description	
SUCTION BARS AND SQUEEGEES				
Suction bar, complete				
Suction bar parabolic B250R Industrial, 1140 mm, parabolic	1	4.777-104.0	Parabolic, robust squeegee made from aluminium with 1140 mm suction width and quick coupling. Delivers excellent suction and drying results. Tool-free change of suction lips.	☐
Suction bar parabolic 1340mm/53in Indust, 1340 mm, parabolic	2	4.777-110.0	Parabolic, robust squeegee made from aluminium with 1340 mm suction width and quick coupling. Delivers excellent suction and drying results. Tool-free change of suction lips.	☐
BRUSH HEADS				
Brush-head R 100/ 39"	3	2.763-056.0	Ideal for stubborn dirt: The brush head with 2 roller brushes, 100 cm working width, integrated pre-sweeping function and tool-free brush replacement.	☐
Brush-head D 100/ 39"	4	2.763-057.0	The brush head with two disc brushes and 100 cm working width features a practical and time-saving quick brush switch system.	☐
Brush-head R 120 Industrie	5	2.763-058.0	The brush head with 2 roller brushes, 120 cm working width and integrated pre-sweeping function is ideal for cleaning stubborn dirt and its brush can be replaced without any tools.	☐
KITS				
Side broom/SSD mounting kit				
Add-on kit side scrubbing deck B260RI	6	2.644-373.0	For wet cleaning close to the edge on the right side: Side scrubbing deck with lifting arm. Extends the working width by 20 cm.	☐
Other attachment kits				
Add-on kit spraying nozzle B 250	7	2.644-392.0	Attachment kit for retrofitting the B 260 R ride-on scrubber dryer with side brushes. The spray nozzles are dust-binding and thereby reduce the amount of dust stirred up when using the side brushes.	☐
Add-on kit ram protection suction bar	8	2.644-369.0	Impact protection for our B 260 RI ride-on scrubber drier. Prevents damage to the squeegee when reversing and prevents collisions with tall obstacles, such as palettes.	☐
Add-on kit connection HD	9	2.644-370.0	Attachment kit for the B 260 RI ride-on scrubber dryer to attach the HD 4/11 C Bp Pack high-pressure cleaner or the NT 22/1 Ap Bp Pack wet and dry vacuum cleaner.	☐
Protective roof	10	2.643-849.0	This high-quality protective roof for the B 250 R scrubber drier (height 2,170 mm including protective roof) protects the operator from falling objects – tested in accordance with EN IEC 60335-2-72.	☐
2-point safety belt	11	6.989-732.0	Versatile and non-toxic Universal Stain Remover RM 769. The solvent-based stain remover is suitable for spot cleaning on all textile floor coverings and upholstery as well as for intermediate and deep cleaning on solvent-resistant hard surfaces, such as doors, desks and other fixtures and fittings. The powerful and ultra-fast-acting stain remover reliably removes stubborn, non-water-soluble stains such as oil, tar, shoe polish, glue or ink and impresses with very good cleaning results and high user safety.	☐
Dose mounting kit				
Add-on kit metering cleaning agents B260	12	2.644-368.0	Attachment kit for Kärcher scrubber dryers for the detergent dosing unit between 0.5 and 3% directly from up to 2x 10-l canisters. With filling level indicator on the device display.	☐
Fleet mounting kit				
Add-on kit	13	2.644-391.0	The IoT module[1] is used to transmit information on the location and operating hours of battery-powered Kärcher cleaning machines and third-party devices to the equipment management system.	☐
Lighting/RKL mounting kit				
Add-on kit revolving signal light B 260	14	2.644-363.0	Flashing beacon attachment kit for Kärcher scrubber dryers. Improves visibility during cleaning applications and thus increases safety in the working environment.	☐

☐ Available accessories.

EQUIPMENT FOR B 260 RI BP
1.480-257.0




18


19

		Order no.	Description	
KITS				
Lighting/RKL mounting kit				
Add-on kit BlueSpot front B260RI	15	2.644-366.0	Blue spotlight attachment kit for B 260 RI ride-on scrubber dryer. Projects a blue spot onto the floor in front of the machine for enhanced safety, e.g. in high-bay warehouses.	☐
Add-on kit BlueSpot rear B260RI	16	2.644-367.0	Blue spotlight attachment kit for B 260 RI ride-on scrubber dryer. Projects a blue spot onto the floor behind the machine for enhanced safety, e.g. in high-bay warehouses.	☐
TRACTION BATTERIES AND CHARGERS				
Batteries				
Battery kit with loader 525Ah/36V Li-Ion	17	2.654-000.0	525 Ah lithium iron phosphate battery with a long manufacturer's guarantee: fast and intermediate charging capability and service life around four times longer than lead batteries. Ideal for continuous operation with fast chargers.	☐
Battery kit wet 1x 36V/630Ah, 36 V, 630 Ah, low maintenance	18	2.815-108.0	Low-maintenance wet battery in trough. Voltage 36 V, capacity 630 Ah (C5).	☐
Battery Chargers				
Battery charger for replacement 36V 65A, 36 V	19	4.035-191.0	Stand-by battery charger specially adapted to the characteristic curve of 36 V wet batteries with 630 Ah storage capacity, which can also be installed directly on the wall.	☐
BC cpl. offp 38,4/200A 380V/50-60Hz	20	4.654-083.0	200 A/36 V off-board quick charger for the 525 Ah lithium-ion trough battery of the B 260 RI. Can be used with CEE 32 A plug at 330–480 V/50–60 Hz.	☐

☐ Available accessories.