

B 260 RI BP

The ride-on scrubber drier B 260 RI Bp, which is equipped with 260 l tanks and has been developed for the toughest industrial applications, with its driving speed of up to 10 km/h.



Made in Europe



WHEEL ANGLE SENSOR



KIK



AUTOFILL



EASY-Operation

Order no.

1.480-257.0

- Adjustable brush contact pressure
- EASY Operation selector switch
- Scrubbing and sweeping in one go

Technical data

| | | |
|------------------------------|-------------------|--------------------|
| EAN code | | 4054278954356 |
| Drive type | | Battery |
| Traction drive | | traction motor |
| Working width, brushes | cm | 100 - 120 |
| Working width, vacuuming | cm | 114 - 134 |
| Fresh/dirty water tank | | 260 / 260 |
| Theoretical area performance | m ² /h | max. 12000 |
| Practical area performance | m ² | 8400 |
| Battery | V | 36 |
| Driving speed | km/h | max. 10 |
| Climbing ability | % | max. 15 |
| Brush contact pressure | kg | 150 |
| aisle turning width | cm | 212 |
| Water consumption | l/min | max. 9 |
| Sound pressure level | dB(A) | 73 |
| Permissible total weight | kg | 1840 |
| Weight without accessories | kg | 499 |
| Dimensions (L × W × H) | mm | 1950 × 1040 × 1570 |

Scope of supply

Squeegee, curved

Equipment

Auto Fill

Patented tank rinsing system

Powerful traction drive

Automatic water stop

Parking brake

Adjustable steering wheel

Solenoid valve

Two-tank system

standard daytime driving light

Type of suction lips: Linatex®

Kärcher colour and operating concept

Kärcher Intelligent Key System (KIK) with over 30 user languages and individual user rights

Home Base fastening possibilities for mop or similar

speed reduction in curves for increased safety

electrical and mechanical float switch


Easy Operation selector switch

This machine requires instruction.



Newly developed roller brush head

- Greatly improved sweeping results and prevents squeegee blockages.
- The rollers can be changed in a matter of seconds and without tools.
- Excellent cleaning results.



10 km/h driving speed

- Enables a high area performance in next to no time and quick transportation operations.
- The steering angle sensor acts as a safety feature when driving in curves.
- There is automatic braking if speed is too high when driving in curves.



Includes two turbines as standard

- Excellent vacuuming results on all surfaces.
- Wear-free Ec turbines.
- Optimised airflow with the newly developed squeegee.

**SUSTAINABILITY INFORMATION FROM B 260 RI BP
1.480-257.0**



Sustainability features

Standby Mode

eco!Mode (Energy and Water Saving Mode)

EQUIPMENT FOR B 260 RI BP

1.480-257.0



| | | Order no. | Description | |
|--|----|-------------|--|--------------------------|
| SUCTION BARS AND SQUEEGEES | | | | |
| Suction bar, complete | | | | |
| Suction bar parabolic B250R Industrial, 1140 mm, parabolic | 1 | 4.777-104.0 | Parabolic, robust squeegee made from aluminium with 1140 mm suction width and quick coupling. Delivers excellent suction and drying results. Tool-free change of suction lips. | <input type="checkbox"/> |
| Suction bar parabolic 1340mm/53in Indust, 1340 mm, parabolic | 2 | 4.777-110.0 | Parabolic, robust squeegee made from aluminium with 1340 mm suction width and quick coupling. Delivers excellent suction and drying results. Tool-free change of suction lips. | <input type="checkbox"/> |
| BRUSH HEADS | | | | |
| Brush-head R 100/ 39" | 3 | 2.763-056.0 | Ideal for stubborn dirt: The brush head with 2 roller brushes, 100 cm working width, integrated pre-sweeping function and tool-free brush replacement. | <input type="checkbox"/> |
| Brush-head D 100/ 39" | 4 | 2.763-057.0 | The brush head with two disc brushes and 100 cm working width features a practical and time-saving quick brush switch system. | <input type="checkbox"/> |
| Brush-head R 120 Industrie | 5 | 2.763-058.0 | The brush head with 2 roller brushes, 120 cm working width and integrated pre-sweeping function is ideal for cleaning stubborn dirt and its brush can be replaced without any tools. | <input type="checkbox"/> |
| KITS | | | | |
| Side broom/SSD mounting kit | | | | |
| Add-on kit side scrubbing deck B260RI | 6 | 2.644-373.0 | For wet cleaning close to the edge on the right side: Side scrubbing deck with lifting arm. Extends the working width by 20 cm. | <input type="checkbox"/> |
| Fleet mounting kit | | | | |
| Add-on kit | 7 | 2.644-391.0 | The IoT module ⁹ is used to transmit information on the location and operating hours of battery-powered Kärcher cleaning machines and third-party devices to the equipment management system. | <input type="checkbox"/> |
| Other attachment kits | | | | |
| Add-on kit spraying nozzle B 250 | 8 | 2.644-392.0 | Attachment kit for retrofitting the B 260 R ride-on scrubber drier with side brushes. The spray nozzles are dust-binding and thereby reduce the amount of dust stirred up when using the side brushes. | <input type="checkbox"/> |
| Add-on kit ram protection suction bar | 9 | 2.644-369.0 | Impact protection for our B 260 RI ride-on scrubber drier. Prevents damage to the squeegee when reversing and prevents collisions with tall obstacles, such as palletes. | <input type="checkbox"/> |
| Add-on kit connection HD | 10 | 2.644-370.0 | Attachment kit for the B 260 RI ride-on scrubber drier to attach the HD 4/11 C Bp Pack high-pressure cleaner or the NT 22/1 Ap Bp Pack wet and dry vacuum cleaner. | <input type="checkbox"/> |
| Protective roof | 11 | 2.643-849.0 | This high-quality protective roof for the B 250 R scrubber drier (height 2,170 mm including protective roof) protects the operator from falling objects - tested in accordance with EN IEC 60335-2-72. | <input type="checkbox"/> |
| Dose mounting kit | | | | |
| Add-on kit metering cleaning agents B260 | 12 | 2.644-368.0 | Attachment kit for Kärcher scrubber dryers for the detergent dosing unit between 0.5 and 3% directly from up to 2x 10-l canisters. With filling level indicator on the device display. | <input type="checkbox"/> |
| Lighting/RKL mounting kit | | | | |
| Add-on kit revolving signal light B 260 | 13 | 2.644-363.0 | Flashing beacon attachment kit for Kärcher scrubber dryers. Improves visibility during cleaning applications and thus increases safety in the working environment. | <input type="checkbox"/> |
| Add-on kit BlueSpot front B260RI | 14 | 2.644-366.0 | Blue spotlight attachment kit for B 260 RI ride-on scrubber drier. Projects a blue spot onto the floor in front of the machine for enhanced safety, e.g. in high-bay warehouses. | <input type="checkbox"/> |

Available accessories.

EQUIPMENT FOR B 260 RI BP 1.480-257.0



| | | Order no. | Description | |
|---|----|-------------|---|--------------------------|
| KITS | | | | |
| Lighting/RKL mounting kit | | | | |
| Add-on kit BlueSpot rear B260RI | 15 | 2.644-367.0 | Blue spotlight attachment kit for B 260 RI ride-on scrubber dryer. Projects a blue spot onto the floor behind the machine for enhanced safety, e.g. in high-bay warehouses. | <input type="checkbox"/> |
| TRACTION BATTERIES AND CHARGERS | | | | |
| Batteries | | | | |
| Battery kit with loader 525Ah/36V Li-Ion | 16 | 2.654-000.0 | 525 Ah lithium iron phosphate battery with a long manufacturer's guarantee: fast and intermediate charging capability and service life around four times longer than lead batteries. Ideal for continuous operation with fast chargers. | <input type="checkbox"/> |
| Battery kit wet 1x 36V/630Ah, 36 V, 630 Ah, low maintenance | 17 | 2.815-108.0 | Low-maintenance wet battery in trough. Voltage 36 V, capacity 630 Ah (C5). | <input type="checkbox"/> |
| Battery Chargers | | | | |
| Battery charger for replacement 36V 65A, 36 V | 18 | 4.035-191.0 | Stand-by battery charger specially adapted to the characteristic curve of 36 V wet batteries with 630 Ah storage capacity, which can also be installed directly on the wall. | <input type="checkbox"/> |
| BC cpl. offp 38,4/200A 380V/50-60Hz | 19 | 4.654-083.0 | 200 A/36 V off-board quick charger for the 525 Ah lithium-ion trough battery of the B 260 RI. Can be used with CEE 32 A plug at 330-480 V/50-60 Hz. | <input type="checkbox"/> |

Available accessories.