NT 22/1 AP BP L

Compact and versatile battery powered wet and dry vacuum cleaner NT 22/1 Ap Bp for demanding wet and dry applications at locations without an external power supply. With space-saving flat pleated filter.



Made in Europe

BATTERY NOT INCLUDED

Order no. **1.528-130.0**

- 22-litre container, compact design, low weight, dust class L
- Semi-automatic filter cleaning Ap, battery-powered machine from the 36 V platform
- 300 mm floor nozzle, crevice nozzle, Dry flat pleated filter

Technical data

EAN code		4054278672328
Battery platform		36 V battery platform
Container capacity	**l**	22
Container material		Plastic
Sound pressure level	**dB(A)**	70
Air flow	**l/s**	57
Vacuum	**mbar / kPa**	152 / 15.2
Rated input power	**W**	max. 575
Standard nominal width		ID 35
Number of batteries required	**Piece(s)**	1
Performance per battery charge	**m²**	approx. 150 (7.5 Ah)
Run time per battery charge	**min**	Eco!Mode: max. 31 (7.5 Ah) / Power mode: max. 24 (6.0 Ah)
Battery charging time with quick charger 80% / 100%	**min**	58 / 81
Charging current	**A**	6
Voltage (power supply for battery charger)	**V**	100 – 240
Frequency (power supply for battery charger)	**Hz**	50 – 60
Colour		Anthracite
Weight without accessories	**kg**	8.8
Weight incl. packaging	**kg**	11.1
Dimensions (L × W × H)	**mm**	401 × 372 × 499

Scope of supply

Versions: Battery and battery charger not included
Suction hose length: 1.9 m
Suction hose type: With bend
Quantity of suction tubes: 2 Piece(s)
Suction tubes length: 505 mm
Suction tubes material: Plastic
Wet/dry floor nozzle width: 300 mm
Crevice nozzle
Flat pleated filter: Cellulose

Equipment

Automatic cut-out features at max. filling quality
Filter cleaning: Semi-automatic Ap filter cleaning
Protection class: III

NT 22/1 Ap Bp L, 1.528-130.0, 2026-11-06






Powerful 36 V Kärcher Battery Power+ battery with 7.5 Ah capacity

- Ensures a long runtime of 31 minutes at full suction power.



Effective protection cover for the battery bay

- Protects the battery from dirt and moisture. With viewing window.



Semi-automatic Ap filter cleaning

- Semi-automatic filter cleaning guarantees constantly high suction power.
- The positioning of the Ap cleaning button simplifies handling.

NT 22/1 Ap Bp L, 1.528-130.0, 2026-11-06

KÄRCHER

EQUIPMENT FOR NT 22/1 AP BP L
1.528-130.0



1


2


3



4



5


6


7


8


9


10


11


12

13


14

		Order no.	Description	
FLAT PLEATED FILTER, STANDARD, BIA C OR UP TO DUST CLASS M				
Flat pleated filter (paper)				
Flat pleated filter	1	6.904-156.0	For wet and dry vacuum cleaners NT 14/1 and NT 22/1 Ap Bp: flat pleated filter Dry made from cellulose fibre material for vacuuming fine dust and coarse dirt from dust classes L and M. With green label.	■
Flat pleated filter (PES)				
Flat pleated filter (PES)	2	6.906-123.0	Flat pleated filter (PES) – BIA-C dust class M: rotproof polyester fleece, ideal for wet use and abrasives. Optional main filter for NT 14/1 and NT 351 Eco/Professional.	☐
Flachfaltenfilter (PTFE)				
Flat-pleated filter packaged neutrally P	3	6.907-649.0	Wet & Dry flat pleated filter made from PES fibre material with PTFE coating with a blue label. Suitable for vacuuming liquids, fine dust and coarse dirt from the M and L dust classes.	☐
BENDS				
Plastic bend				
Elbow packaged NW35 1K	4	2.889-199.0	DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	■
SUCTION NOZZLES				
All-purpose nozzles (wet/dry)				
Floor tool packaged NT Entry Class DN35	5	2.899-811.0	Plastic wet/dry floor nozzle with parking hook, brush strips and squeegees in DN 35. For wet and dry vacuuming of fine dust, coarse dirt or liquids. Width of 300 mm.	■
Crevice nozzles				
Crevice nozzle wet and dry packaged NW35	6	2.889-159.0	Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.	■
Car cleaning nozzles				
Ergonomic car nozzle, ID 35, 100 mm	7	2.889-356.0	Ergonomic and compact DN 35 car cleaning nozzle made from plastic with a working width of 100 mm for vehicle interior cleaning. Suitable for all wet and dry vacuum cleaners with DN 35 bends.	☐
Car nozzle, ID 35, 90 mm	8	6.906-108.0	Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.	☐
SUCTION TUBES				
Suction tubes plastic				
Set suction tube DN35 505mm	9	2.889-218.0	The suction tube set consists of 2 suction tubes made of high-quality plastic (DN 35 and 505 mm long each). For the HV 1/1 Bp battery-powered hand vacuum cleaner as well as wet and dry vacuum cleaners from Kärcher.	■
Suction tubes metal				
Suction tube chromed NW35 – 505mm	10	6.902-074.0	Chrome-plated steel suction tube for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners, nominal width DN 35 and 505 mm long.	☐
BATTERIES				
Battery Power+ 36/40	11	2.445-108.0	4 Ah capacity for extended battery runtime: The Battery Power+ 36 V lithium-ion battery features a shock-resistant plastic housing with IP55 protection and 4 LEDs for state of charge indication.	☐
Battery Power+ 36/80	12	2.445-110.0	8 Ah capacity for extended battery runtime: The Battery Power+ 36 V lithium-ion battery features a shock-resistant plastic housing with IP55 protection and 4 LEDs for state of charge indication.	☐
Battery Power+ 36/75	13	2.445-043.0	A capacity of 7.5 Ah guarantees long runtimes for the Battery Power+ 36 V lithium-ion battery. Very powerful, with Real Time Technology via LCD display and protection against overcurrent.	☐
Battery Power+ 36/60	14	2.042-022.0	Extremely powerful Battery Power+ 36 V lithium-ion battery with a capacity of 6.0 Ah for a long runtime. With innovative Real Time Technology via LCD display and voltage monitoring.	☐

■ Included in delivery. ☐ Available accessories.

EQUIPMENT FOR NT 22/1 AP BP L
1.528-130.0


15


16


17


18

		Order no.	Description	
FILTER BAGS				
Fleece filter bags (3 ply)				
Fleece filter bags, 5 Piece(s), NT 22/1	15	6.907-469.0	Extremely powerful cleaning, suitable for both manual and mechanical cleaning and ideal for applications in food-processing companies and the food industry: the PressurePro Grease and Protein Remover RM 731 from Kärcher. Highly effective and at the same time gentle on materials, the kitchen cleaner removes animal or vegetable fat and protein residues from practically any surface in, for example, butcher's shops, bakeries or large kitchens. Stainless steel and plastic surfaces are cleaned of grease and proteins just as reliably as tiled floors and walls, cold storage rooms and machines such as extractor hoods and conveyor belts. Even heavily soiled utensils such as barbecue and smoking skewers are powerfully cleaned. Our PressurePro Grease and Protein Remover RM 731 is free of fragrances and dyes, effective at any temperature and washes off without leaving residue.	☐
SUCTION HOSES				
Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)				
Suction hose	16	2.889-134.0	The suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	☐
CONNECTING SLEEVES				
Connecting sleeve C-DN (clip on taper), EL (electroconductive)				
Connection cone NW35	17	5.407-005.0	Adapter clip system DN 35 for connecting suction tubes and small nozzles to cone DN 35. Perfect for vehicle interior cleaning, even without the connection of other nozzles.	☐
OTHER ACCESSORIES FOR T AND NT				
Adapter old packaged NW35	18	2.889-312.0	Adapter for connection of hoses of the new accessory system of dry and wet and dry vacuum cleaners to bends or extension hoses of the old system. For nominal width DN 35.	☐

☐ Available accessories.