BP 2.000-18 BARREL

The battery barrel pump BP 2.000-18 Barrel makes it possible to use precious rain water from the barrel also in gardens without a power connection. This not only saves drinking water, but also money.









Order no.	1.645-475.0

- Max. flow rate < 2000 l/h, delivery height 20 m, pressure up to max. 2 bar
- 18 V battery platform, integrated on/off switch, barrel mounting clamp
- Hose with adjustable length, battery holder

Technical data		
EAN code		4054278878102
Battery platform		18 V battery platform
Rated input power	W	80
Max. Flow Rate	l/h	< 2000
Delivery Head	m	max. 20
Pressure	bar	max. 2
Depth of Immersion	m	max. 1.8
Delivery Temperature	°C	max. 35
Voltage	V	18
Run time per battery charge	min	max. 25 (2.5 Ah) / max. 50 (5.0 Ah)
Colour		Yellow
Weight without accessories	kg	1.1
Weight incl. packaging	kg	1.6
Dimensions (L × W × H)	mm	173 × 135 × 316

Scope of supply
Battery Holder on Barrel
Adjustable Hose Length
Hose guide

Equipment
Mounting Facility
Pre-filter standard
Integrated On/Off Switch
Overcurrent circuit breaker



Variable positioning of the hose outlet in 3 positions

- Perfect adjustment for various applications.



18V Kärcher Battery Power Battery Platform

- Real Time Technology with LCD battery display: Remaining running time, remaining charging time and battery capacity. Powerful thanks to lithium-ion cells. The exchangeable battery can be used in all other 18 V Kärcher Battery Power platform devices.



Flexible Clamping Device

- Ensure a perfect fitting to any barrel.

BP 2.000-18 Barrel, 1.645-475.0, 2026-11-19

EQUIPMENT FOR BP 2.000-18 BARREL
1.645-475.0


1, 3


2, 4


5


6


7


8


9


10

		Order no.	Description	
BATTERIES				
Battery Power 18/25	1	2.445-034.0	18 V / 2.5 Ah Kärcher Battery Power exchangeable battery with innovative Real Time Technology incl. LCD display to indicate battery level. Suitable for use in all devices on the 18 V Kärcher battery platform.	☐
Battery Power 18/50	2	2.445-035.0	18 V / 5.0 Ah Kärcher Battery Power exchangeable battery with innovative Real Time Technology incl. LCD display to indicate battery level. Suitable for use in all devices on the 18 V Kärcher battery platform.	☐
Battery Power 18/25	3	2.445-100.0		☐
Battery Power 18/50	4	2.445-103.0		☐
Battery Power 18/80	5	2.445-106.0		☐
HOSES				
Hose set, 20 m	6	2.645-115.0	Hose set with 20 m standard hose (1/2"), spray gun, G3/4 brass tap adaptor with G1/2 reducer, universal hose connector and universal connector with Aqua Stop.	☐
Hose set with hose hanger, 15 m	7	2.645-114.0	Hose set with hose hanger, 15 m PrimoFlex® hose (1/2"), nozzle, G1 tap adaptor with G3/4 reducer, universal hose connector and universal hose connector with Aqua Stop.	☐
NOZZLES AND SPRAY LANCES				
Nozzle set	8	2.645-288.0	The optimal entry-level set with nozzle, tap connector and 2 connectors (one includes Aqua Stop). Immediately ready for easy watering of the garden.	☐
Spray gun set	9	2.645-289.0	All set to water the garden in an instant: In addition to the spray gun, the spray gun set also includes a tap adapter as well as 2 hose connectors – one of which has Aqua Stop.	☐
Multifunctional Spray Gun Plus Set	10	2.645-290.0	Multifunctional Spray Gun Plus Set with 2 universal connectors (one with aqua-stop)and tap adaptor. Works with all other brands.	☐

☐ Available accessories.