


SP 5 DIRT

The SP 5 Dirt is capable of pumping 9,500 litres of water an hour. This makes it extremely useful if you need a quick solution to a flooded area of your home.



Order no. 1.645-513.0

Technical data

EAN code		4054278170114
Rated input power	W	500
Max. Flow Rate	l/h	< 9500
Delivery Temperature	°C	max. 35
Delivery Head	m	7
Pressure	bar	max. 0.7
Grain Size	mm	max. 20
Depth of Immersion	m	max. 7
Min. Residual Water, manual	mm	25
Residual Water Height	mm	25
Power Cable	m	10
Voltage	V	230 - 240
Frequency	Hz	50
Colour		Yellow
Weight without accessories	kg	4.7
Weight incl. packaging	kg	5.6
Dimensions (L × W × H)	mm	229 × 238 × 303

Scope of supply

Connecting Hose: 1 1/4"

Equipment

Comfortable Carrying Handle

Easy hose connection thanks to Quick Connect

Switching between manual/automatic operation: Possibility of fixing the float switch

Flexible, height-adjustable float switch

In automatic operation (auto), the pump automatically switches with the water level

In manual operation, the pump runs continuously until the minimum quantity of residual water is reached

Ceramic Face Seal




Ceramic Face Seal

- For an extra long lifetime.



Height-Adjustable Float Switch

- Increases the flexibility when setting the switch-on and switch-off point of the pumps and prevents dry running.



Quick Connect

- Connection thread for quick and uncomplicated connection of 1 1/4" hoses to the pump.

EQUIPMENT FOR SP 5 DIRT 1.645-513.0



		Order no.	Description	
SUCTION HOSES				
Suction hose available in bulk	1	6.997-346.0	Vacuum-resistant spiral hose can be cut to length for connection to submersible, garden, submersible pressure pumps and high-pressure pumps.	☐
ADAPTERS / CONNECTORS				
Pump adapter including check valve, small	2	6.997-359.0	Pump adapter with check valve for vacuum-resistant connection of suction hoses to pumps (e.g. garden pumps and high-pressure pumps for domestic use).	☐
FILTER				
Prefilter for submersible pumps	3	2.997-201.0	This handy prefilter from Kärcher is a great addition to your SP3 or SP5 Dirt. Adding an extra layer of protection, to help improve the reliability of your pump.	☐
MISCELLANEOUS				
Flat Hose Set	4	2.997-100.0	The Kärcher flat hose set is the perfect addition to your pump. An ideal hose for pumping out dirty water from your flooded area.	☐
HOSES				
PrimoFlex 1" 1m	5	2.645-247.0		☐
Hose Performance Plus 3/4" -25m	6	2.645-322.0	Robust and extremely resistant to kinks, the Performance Plus garden hose is made from high-quality multi-layered woven material - for proven quality and performance.	☐
Hose Performance Plus 3/4" - 50m	7	2.645-323.0		☐
PrimoFlex® plus hose 3/4" - 25 m	8	2.645-148.0	25 m PrimoFlex® plus quality garden hose (3/4"). Pressure-resistant, reinforced braided. Unharmful to health. Bursting pressure: 45 bar. Temperature range from -20 to 65 °C.	☐
PrimoFlex® hose 3/4" - 25 m	9	2.645-142.0	PrimoFlex® quality garden hose (3/4") 25 m. Pressure-resistant, reinforced braided. Unharmful to health. Bursting pressure: 24 bar. Wide operating temperature range from -20 to 65 °C.	☐

☐ Available accessories.