

BR 30/4 C

Professional small area scrubber dryer that operates like an upright vacuum cleaner.



Order no. 1.783-224.0

Technical data

EAN code		4039784717893
Drive type		Mains operation
Working width, brushes	mm	300
Working width, vacuuming	mm	300
Fresh/dirty water tank	l	4 / 4
Theoretical area performance	m ² /h	200
Practical area performance	m ² /h	150
Brush speed	rpm	1450
Brush contact pressure	g/cm ²	100
Water consumption	l/min	0.3
Sound pressure level	dB(A)	70.5
Voltage	V	230
Frequency	Hz	50 - 60
Rated input power	W	820
Colour		anthracite
Dimensions (L × W × H)	mm	390 × 335 × 1180

Scope of supply

Roller brush: 1 Piece(s)
Transport wheels
2 squeegees, straight: 1 Piece(s)

Equipment

Two-tank system
Mains operation



High-speed roller brush

- For ten times higher contact pressure than manual cleaning.
- The roller brush also cleans textured surfaces and crevices.
- The roller provides automatic forward motion so that the machine does not have to be pushed.



Immediately dry

- The soft suction lips vacuum up moisture from the floor, leaving it dry – whether going forwards or backwards.
- The floor can be walked on again immediately.
- For intensive cleaning, the suction can also be switched off via the foot pedal.

Vacuum off facility

- Vacuum can be switched off by foot pedal.
- Detergent can be applied and then vacuumed for deeper cleaning.

EQUIPMENT FOR BR 30/4 C

1.783-224.0



		Order no.	Description	
ROLLER BRUSHES FOR BR				
Roller brush, medium, red, 300 mm	1	4.762-005.0	Red standard roller brush for maintenance cleaning.	■
Roller brush, Soft, white, 300 mm	2	4.762-452.0	White roller brush for cleaning sensitive floor coverings.	□
Roller brush, high / low, orange, 300 mm	3	4.762-484.0	Orange roller brush with high-low structure for particularly effective cleaning of textured floor coverings.	□
Roller brush, Soft, blue, 300 mm	4	4.762-499.0	For carpet cleaning.	□
SUCTION BARS AND SQUEEGEES				
Suction bar, complete				
Squeegee, standard, 300 mm, straight	5	4.777-008.0	Whether for maintenance cleaning or deep cleaning: FloorPro Fine Stoneware Cleaner RM 753 is always the optimal choice for unglazed, open-pored fine stoneware tiles. Not only does it effortlessly remove grease, oil and mineral contamination, but its surfactant- and enzyme-free formulation also effectively prevents rapid resoiling and ensures a pleasant, fresh fragrance. The slightly alkaline and low-foaming detergent can be used both manually and with a scrubber dryer. Kärcher recommends the single-step method for maintenance cleaning and the two-step method for deep cleaning. Professionals in the building cleaning sector also benefit from the high user safety of the non-toxic cleaner. If required, FloorPro RM 753 is also suitable for use in oil separators.	■
Squeegee, 300 mm, straight	6	4.777-324.0	Straight squeegee, oil-resistant, 300 mm. For cleaning, kitchens, workshops, restaurants, petrol filling stations, etc.	□
ROLLER PADS / ROLLER PAD SHAFT				
Microfibre shaft				
Microfibre roller, 300 mm	7	4.762-453.0	Ideal for fine stoneware tiles. Microfibre roller for the reliable and gentle removal of grey haze.	□
OTHER ACCESSORIES FOR SCRUBBER DRYERS				
Miscellaneous				
Filling hose	8	6.680-124.0	1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	□
Carpet kits				
Carpet cleaning attachment kit	9	2.783-005.0	For intensive carpet cleaning. 2 suction lips for carpets + 1 blue roller brush + 1 l RM 764 + 0.5 l RM 769.	□
RM Dosierstation				
Cleaning agent dosage kit, wall mounted DS 3	10	2.641-811.0	After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Can also be used with the filling system attachment kit. Includes backflow preventer (DIN EN 1717).	□
SPRAYERS				
Pump spray bottle 1 l	11	6.394-409.0	1-litre pump spray bottle - including pump and pressure tank - easy, uniform spraying for cleaning or crystallising.	□

■ Included in delivery. □ Available accessories.