

## BR 30/4 C BP PACK 36/75

Our light and very compact battery powered BR 30/4 C Bp Pack scrubber drier, which ensures dry, non-slip floors immediately after cleaning, weighs just 14 kg.



**Order no.** 1.783-228.0

- Compact scrubber dryer, 4 l tanks for fresh/dirty water, 30 cm working width
- External battery charger, 6 A fast charger, 36 V/7.5 Ah battery, max. 200 m<sup>2</sup>/h
- Red roller brush, straight squeegee

### Technical data

<b>EAN code</b>		4054278648248
<b>Battery platform</b>		36 V battery platform
<b>Drive type</b>		Battery
<b>Traction drive</b>		Advance by brush rotation
<b>Working width, brushes</b>	mm	300
<b>Working width, vacuuming</b>	mm	300
<b>Fresh/dirty water tank</b>	l	4 / 4
<b>Theoretical area performance</b>	m <sup>2</sup> /h	200
<b>Practical area performance</b>	m <sup>2</sup> /h	150
<b>Battery type</b>		Removable lithium-ion battery
<b>Voltage</b>	V	36
<b>Capacity</b>	Ah	7.5
<b>Number of batteries required</b>	Piece(s)	1
<b>Run time per battery charge</b>	min	max. 35
<b>Battery charging time with quick charger 80% / 100%</b>	min	58 / 81
<b>Charging current</b>	A	6
<b>Power supply for battery charger</b>	V / Hz	100 - 240 / 50 - 60
<b>Brush speed</b>	rpm	1270
<b>Brush contact pressure</b>	g/cm <sup>2</sup>	100
<b>Water consumption</b>	l/min	0.3
<b>Sound pressure level</b>	dB(A)	max. 72.4
<b>Rated input power</b>	W	550
<b>Colour</b>		anthracite

### Scope of supply

**Versions:** Battery and battery charger included  
**Transport wheels**  
**Roller brush:** 1 Piece(s)  
**2 straight squeegees:** 1 Piece(s)

### Equipment

**Two-tank system**

Dimensions (L x W x H) mm 365 x 345 x 1162



## High-speed roller brush

- For ten times higher contact pressure than manual cleaning.
- The roller brush also cleans textured surfaces and crevices.
- The roller provides automatic forward motion so that the machine does not have to be pushed.

## Immediately dry

- The soft suction lips vacuum up moisture from the floor, leaving it dry - whether going forwards or backwards.
- For intensive cleaning, the suction can also be switched off via the foot pedal.

## EQUIPMENT FOR BR 30/4 C BP PACK 36/75

### 1.783-228.0



		Order no.	Description	
<b>BATTERIES</b>				
Battery Power+ 36/75	1	2.445-043.0	A capacity of 7.5 Ah guarantees long runtimes for the Battery Power+ 36 V lithium-ion battery. Very powerful, with Real Time Technology via LCD display and protection against overcurrent.	■
Battery Power+ 36/60	2	2.042-022.0	Extremely powerful Battery Power+ 36 V lithium-ion battery with a capacity of 6.0 Ah for a long runtime. With innovative Real Time Technology via LCD display and voltage monitoring.	□
<b>ROLLER BRUSHES FOR BR</b>				
Roller brush, medium, red, 300 mm	3	4.762-005.0	Red standard roller brush for maintenance cleaning.	■
Roller brush, Soft, white, 300 mm	4	4.762-452.0	White roller brush for cleaning sensitive floor coverings.	□
Roller brush, high / low, orange, 300 mm	5	4.762-484.0	Orange roller brush with high-low structure for particularly effective cleaning of textured floor coverings.	□
Roller brush, Soft, blue, 300 mm	6	4.762-499.0	For carpet cleaning.	□
<b>SUCTION BARS AND SQUEEGEES</b>				
<b>Suction bar, complete</b>				
Squeegee, 300 mm, straight	7	4.777-008.0	Straight squeegee suitable for use on all common floors. 300 mm wide.	■
	8	4.777-324.0	Straight squeegee, oil-resistant, 300 mm. For cleaning, kitchens, workshops, restaurants, petrol filling stations, etc.	□
<b>ROLLER PADS / ROLLER PAD SHAFT</b>				
<b>Microfibre shaft</b>				
Microfibre roller, 300 mm	9	4.762-453.0	Ideal for fine stoneware tiles. Microfibre roller for the reliable and gentle removal of grey haze.	□
<b>OTHER ACCESSORIES FOR SCRUBBER DRYERS</b>				
<b>Miscellaneous</b>				
Filling hose	10	6.680-124.0	1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	□
<b>Carpet kits</b>				
Carpet cleaning attachment kit	11	2.783-005.0	For intensive carpet cleaning. 2 suction lips for carpets + 1 blue roller brush + 1 l RM 764 + 0.5 l RM 769.	□
<b>RM Dosierstation</b>				
Cleaning agent dosage kit, wall mounted DS 3	12	2.641-811.0	After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Can also be used with the filling system attachment kit. Includes backflow preventer (DIN EN 1717).	□

■ Included in delivery. □ Available accessories.