

BR 40/10 C EP ADV

The BR 40/10 C - the most economical machine in its class. The compact and powerful machine has a working width of 400 mm and a tank volume of 10 l. The Advance version has additional transport wheels and a brush contact pressure adjustment feature.



Order no.

1.783-311.0

- Compact scrubber dryer, 10 l tanks for fresh/dirty water, 40 cm working width
- Corded machine, max. 400 m²/h
- Red roller brushes, straight squeegee, transport wheels

Technical data

| | | |
|-------------------------------------|------------------------|---------------------|
| EAN code | | 4039784541498 |
| Drive type | | Mains operation |
| Working width, brushes | mm | 400 |
| Working width, vacuuming | mm | 400 |
| Fresh/dirty water tank | l | 10 / 10 |
| Theoretical area performance | m ² /h | 400 |
| Practical area performance | m ² /h | 300 |
| Brush rotational speed | rpm | 1100 |
| Brush contact pressure | g/cm ² / kg | 100 - 200 / 20 - 30 |
| Water consumption | l/min | 1 |
| Sound pressure level | dB(A) | max. 75 |
| Voltage | V | 220 - 240 |
| Frequency | Hz | 50 |
| Rated input power | W | max. 2300 |
| Colour | | anthracite |
| Weight without accessories | kg | 35.5 |
| Dimensions (L × W × H) | mm | 520 × 470 × 1150 |

Scope of supply

Roller brush: 2 Piece(s)
Transport wheels
2 straight squeegees: 1 Piece(s)

Equipment

2-tank system
Mains operation
Variable contact pressure



Powerful and fast

- Two high-speed rotating roller brushes with high contact pressure.
- Two suction lip strips pick the water back up - whether going forwards or backwards.
- The floor can be walked on again immediately.



Low clearance height

- Reaches under furniture effortlessly.
- The push handle can be folded down in both directions.
- Removable tank - suitable for low lying objects.

Service-friendly

- Easy, tool-free change of brushes and suction lips.
- Water distribution bar can be easily removed and cleaned when necessary.
- All electrical components are quickly and easily accessible.

EQUIPMENT FOR BR 40/10 C EP ADV

1.783-311.0





| | | Order no. | Description | |
|--|----|-------------|--|---|
| SUCTION BARS AND SQUEEGEES | | | | |
| Suction bar, complete | | | | |
| Suction bar complete replacement BR 40/1, 435 mm, straight | 1 | 4.777-097.0 | Straight squeegee, suitable for all common floors. Length 435 mm. | ■ |
| Suction bar oil resistant replacement BR, 435 mm, straight | 2 | 4.777-098.0 | Oil-resistant, straight squeegee. Length 435 mm. | □ |
| Squeegees for suction bars | | | | |
| Suction lip set, oil-resistant, 10x BR 40/10, oil-resistant, grooved, 435 mm | 3 | 4.035-288.0 | Set, consists of 10 oil-resistant suction lips, for use with our BR 40/10 scrubber drier. | □ |
| Suction lip set 10x BR 40/10, Natural rubber, 435 mm | 4 | 4.035-253.0 | 10 rubber lips for squeegees 4.777-097.0. | □ |
| ROLLER BRUSHES FOR BR | | | | |
| Roller brush, medium, red, 400 mm | 5 | 4.762-003.0 | Red standard roller brush for maintenance cleaning. | ■ |
| Roller brush, very soft, white, 400 mm | 6 | 4.762-250.0 | White roller brush for cleaning sensitive floor coverings. | □ |
| Roller brush, Soft, natural, 400 mm | 7 | 4.762-274.0 | Very soft, made of horsehair, perfect for spray cleaning and for polishing. | □ |
| Roller brush, high / low, orange, 400 mm | 8 | 4.762-251.0 | Orange roller brush with high-low structure for particularly effective cleaning of textured floor coverings. | □ |
| Roller brush, hard, green, 400 mm | 9 | 4.762-252.0 | Green, abrasive roller brush for deep cleaning and removal of sticky dirt. | □ |
| Roller brush, very hard, black, 400 mm | 10 | 4.762-481.0 | Black, very abrasive roller brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt. | □ |
| Roller brush, Soft, blue, 400 mm | 11 | 4.762-254.0 | Soft blue roller brush for cleaning textile floor coverings. Particularly suitable for loop-pile textiles. | □ |
| Roller brush, medium-hard, green, 400 mm | 12 | 4.762-000.0 | Medium-hard, light green roller brush for effective cleaning of textile floor coverings. Particularly suitable for velour coverings with a fibre height of up to 3 mm. | □ |
| ROLLER PADS / ROLLER PAD SHAFT | | | | |
| Roller pad shaft | | | | |
| Pad roller shaft, 400 mm | 13 | 4.762-228.0 | Pad roller shaft suitable for holding roller pads or microfibre rollers. | □ |
| Roller pads | | | | |
| Roller pad, brown, 400 mm | 14 | 8.635-691.0 | Very abrasive roller pad for chemical-free care film and decoating. | □ |

■ Included in delivery. □ Available accessories.

EQUIPMENT FOR BR 40/10 C EP ADV

1.783-311.0



| | | Order no. | Description | |
|--|----|-------------|--|--------------------------|
| ROLLER PADS / ROLLER PAD SHAFT | | | | |
| Roller pads | | | | |
| Roller pad on sleeve, Soft, Yellow, 400 mm | 15 | 6.369-724.0 | Yellow roller pad for cleaning and polishing non-textured floor coverings. | <input type="checkbox"/> |
| Roller pad on sleeve, medium, red, 400 mm | 16 | 6.369-726.0 | Red standard roller pad for the maintenance cleaning of non-textured floor coverings. | <input type="checkbox"/> |
| Roller pad on sleeve, hard, green, 400 mm | 17 | 6.369-725.0 | Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt on non-textured floor coverings. | <input type="checkbox"/> |
| Microfibre shaft | | | | |
| Microfibre roller, 400 mm | 18 | 4.114-004.0 | Ideal for fine stoneware tiles. Microfibre roller for the reliable and gentle removal of grey haze. | <input type="checkbox"/> |
| OTHER ACCESSORIES FOR SCRUBBER DRYERS | | | | |
| Miscellaneous | | | | |
| Filling hose | 19 | 6.680-124.0 | 1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps. | <input type="checkbox"/> |
| Carpet kits | | | | |
| Carpet cleaning attachment kit | 20 | 2.783-014.0 | For intensive carpet cleaning. 2 suction lips for carpets + 2 blue roller brushes + 1 l RM 764 + 0.5 l RM 769. | <input type="checkbox"/> |
| RM Dosierstation | | | | |
| Cleaning agent dosage kit, wall mounted DS 3 | 21 | 2.641-811.0 | After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Can also be used with the filling system attachment kit. Includes backflow preventer (DIN EN 1717). | <input type="checkbox"/> |
| SPRAYERS | | | | |
| Pump spray bottle 1 l | 22 | 6.394-409.0 | 1-litre pump spray bottle - including pump and pressure tank - easy, uniform spraying for cleaning or crystallising. | <input type="checkbox"/> |

Available accessories.