FAST CHARGER BATTERY POWER 18 V

The fast charger charges the 18 V/2.5 Ah Kärcher Battery Power exchangeable battery to 80% in just 44 minutes and can be used for all batteries on the 18 V Kärcher battery platform.



Order no.	2.445-036.0

Technical data		
EAN code		4054278557380
Battery platform		18 V battery platform
Battery charging time with fast charger		18 V / 2.5 Ah Battery Power battery: 44 min (80 %) / 83 min (100 %) 18 V / 5.0 Ah Battery Power battery: 94 min (80 %) / 143 min (100 %)
Charging current	A	2.5
Voltage (power supply for battery charger)	V	100 – 240
Frequency (power supply for battery charger)	Hz	50 – 60
Colour		Black
Weight	kg	0.5
Weight incl. packaging	kg	0.8
Dimensions (L × W × H)	mm	184 × 133 × 88









Quick charger

- Charges the 18 V/2.5 Ah Kärcher Battery Power exchangeable battery to 80% in 44 minutes.
- Charges the 18 V/5.0 Ah Kärcher Battery Power exchangeable battery to 80% in 94 minutes.

Wide range of applications

- Compatible with all batteries on the 18 V Kärcher battery platform.

Wall mount

- For clean attachment to the wall.

COMPATIBLE MACHINES

- BLV 18-200 Battery
- BR 30/1 C Bp Pack
- CNS 18-30 Cordless Chainsaw (Machine only)
- HGE 3-18
- KHB 4-18 Plus Battery Set
- LBL 2 Cordless Leaf Blower (Battery Set)
- LBL 2 Cordless Leaf Blower (Machine Only)
- LMO 2-18
- LMO 3-18
- LTR 18-25 Battery Set
- LTR 2-18
- LTR 3-18
- MFL 2-18
- OC 6-18 Premium Battery Set
- PGS 4-18 (Machine Only)
- PHG 2-18
- PSU 4-18 (Machine Only)
- PSW 18-20 Battery
- TLO 2-18
- LMO 3-18 Battery Set
- LTR 3-18 Battery Set
- HGE 3-18 Battery Set

EQUIPMENT FOR FAST CHARGER BATTERY POWER 18 V 2.445-036.0


1, 3


2, 4


5

		Order no.	Description	
BATTERIES				
Battery Power 18/25	1	2.445-034.0	18 V / 2.5 Ah Kärcher Battery Power exchangeable battery with innovative Real Time Technology incl. LCD display to indicate battery level. Suitable for use in all devices on the 18 V Kärcher battery platform.	☐
Battery Power 18/50	2	2.445-035.0	18 V / 5.0 Ah Kärcher Battery Power exchangeable battery with innovative Real Time Technology incl. LCD display to indicate battery level. Suitable for use in all devices on the 18 V Kärcher battery platform.	☐
Battery Power 18/25	3	2.445-100.0		☐
Battery Power 18/50	4	2.445-103.0		☐
Battery Power 18/80	5	2.445-106.0		☐

☐ Available accessories.