H 9 Q HIGH-PRESSURE HOSE QUICK CONNECT

9 m high-pressure replacement hose for K 2 to K 7 pressure washers manufactured since 2009, on which the hose is attached to the spray gun and device with a Quick Connect quick coupling. 180 bar, 60°C.



Order no.	2.641-721.0

Technical data		
EAN code		4039784361232
Temperature	°C	max. 60
Max. Pressure	bar	180
Length	m	9
Colour		Black
Weight	kg	0.8
Weight incl. packaging	kg	1
Dimensions (L × W × H)	mm	245 × 245 × 65



Replacement hose 9 m

- Quick hose changing

Quick connect connector

- The high-pressure hose is easy to manoeuvre. With the Quick Connect system, you can click quickly in and out of the pressure washer and gun, saving you time and effort.

Quick-coupling system

- For easy cleaning

COMPATIBLE MACHINES

- K 2 Classic
- K 2 Start Plus
- K 2 Start Plus Car
- K 2 Start Plus Home
- K 3 Classic
- K 3 Classic Home
- K 3 Horizontal
- K 3 Power Control Car & Home
- K 3 eco!Booster
- K 3 eco!Booster Car & Home
- K 3 eco!Booster Home
- K 4 Classic
- K 4 Classic Home
- K 4 Power Control Flex
- K 4 Power Control Flex Car & Home
- K 4 Power Control Flex Car & Home Plus
- K 4 Power Control Go!Further
- K 4 WCM Flex eco!Booster
- K 4 WCM Flex eco!Booster Car & Home
- K 4 WCM Flex eco!Booster Car Plus
- K 4 WCM Flex eco!Booster Home
- K 5 Classic
- K 5 Classic Home
- K 5 WCM Flex eco!Booster
- K 5 WCM Flex eco!Booster Car & Home
- K 5 WCM Flex eco!Booster Home
- K 7 WCM Flex eco!Booster

H 9 Q high-pressure hose Quick Connect, 2.641-721.0, 2026-10-30

KÄRCHER

EQUIPMENT FOR H 9 Q HIGH-PRESSURE HOSE QUICK CONNECT 2.641-721.0



1

		Order no.	Description	
MISCELLANEOUS				
Anti-twist adapter	1	2.644-257.0	The anti-twist adapter eliminates loops in the high-pressure hose for guaranteed twist-free working. For all high-pressure hoses with a Quick Connect adapter on the gun.	☐

☐ Available accessories.