


OSCILLATING SPRINKLER OS 5.320 SV

Oscillating sprinkler OS 5.320 SV with width coverage control and splash guard for convenient alignment. For medium-sized/large areas up to 320 m². Adjustable flow control (0-max.).



Order no.

2.645-135.0

Technical data

EAN code		4039784426351
Sprinkling area 2 bar		20 - 190 m ²
Sprinkling area 4 bar		30 - 320 m ²
Width of spray 2 bar	m	5 - 12
Width of spray 4 bar	m	6 - 16
Area coverage 2 bar	m	5 - 16
Area coverage 4 bar	m	6 - 20
Colour		black
Weight	kg	0.8
Weight incl. packaging	kg	0.9
Dimensions (L × W × H)	mm	546 × 160 × 88

**Continuous reach adjustment**

- Precise watering.

Loop for hanging the device integrated into the handle

- For simple storage/hanging.

Adjustable width of spray

- Different spray angles for targeted watering.

COMPATIBLE MACHINES

- Hose Box HBX 4.15 Automatic
- Hose Box HBX 4.20 Automatic
- Hose Box HBX 5.25 Automatic
- Hose Box HBX 5.30 Automatic
- Hose Box HBX 5.35 Automatic
- Hose hanger
- Hose hanger Plus
- Hose reel HR 2.10 Set
- Hose reel HR 3
- Hose reel HR 3.20 Set
- Hose reel HR 4
- Hose reel HR 4.30 Set
- Hose trolley HT 2
- Hose trolley HT 2.20 Set
- Hose trolley HT 3
- Hose trolley HT 3.20 Set
- Hose trolley HT 4
- Hose trolley HT 4.20 Set
- Hose trolley HT 5 M
- Hose trolley HT 5.20 M Set
- Hose trolley HT 6 M

EQUIPMENT FOR OSCILLATING SPRINKLER OS 5.320 SV 2.645-135.0



		Order no.	Description	
HOSES				
PrimoFlex® Premium Hose: 20m	1	2.645-150.0	The Kärcher PrimoFlex® Premium hose is made using patented, double reinforced technology that provides a pressure resistance up to 50 bar, making it a reliable and durable garden accessory.	<input type="checkbox"/>
CONNECTORS/TAP ADAPTORS				
High pressure hose couplings	2	2.645-195.0	High pressure hose couplings from Kärcher are universal and connect all standard hose pipe series, helping you achieve the best results for your garden.	<input type="checkbox"/>
Premium Universal hose coupling with Aqua Stop	3	2.645-196.0	Made from corrosion-free aluminium with soft plastic recessed grips, our Premium universal hose coupling with Aqua Stop connects hoses with no drip quality to save time, money and hard work.	<input type="checkbox"/>
Tap connector 3/4" thread with 1/2" thread reducer	4	2.645-006.0	Extremely tough tap connector 3/4" thread with 1/2" thread reducer. The reducer allows connection to two thread sizes. Compatible with all click systems.	<input type="checkbox"/>

Available accessories.