

ROLLER BRUSH 500 SOFT

Soft brush attachment for use with hydraulic drive (4.762-584.0). Ideal for glass and solar power installation cleaning. Easy quick-change system and secure mounting on drive.



Order no. 4.762-623.0


Technical data

EAN code		4054278821993
Water feed temperature	°C	40
Colour		blue
Weight incl. packaging	kg	1.7



Intuitive colour coding

- Colour coding facilitates the selection of the appropriate brush attachment.



Quick-change mechanism

- Quick brush replacement for simple adaptation to the cleaning task.

Streak-free cleaning close to the edge

- Bristles at the side as damping protection and for cleaning close to the edge.
- Streak-free cleaning results thanks to diagonal bristles in the middle of the brush.

COMPATIBLE MACHINES

- Cold Water Pressure Washer HD 4/11 C Bp
- Cold Water Pressure Washer HD 5/11 P
- Cold Water Pressure Washer HD 5/12 CX Plus
- Cold Water Pressure Washer HD 6/11-4 M Plus 110v
- Drive for roller brush 500
- HD 10/15-4 Cage Food
- HD 10/21-4 S Plus
- HD 10/25-4 S
- HD 10/25-4 S Classic
- HD 4/9 P 110V
- HD 5/12 C Plus
- HD 6/13 C Plus
- HD 6/13 CX Plus
- HD 7/12-4 M Plus
- HD 7/15 G
- HD 9/20-4 SXA Plus
- HD 9/23 De
- HD 9/23 G
- HDS 10/21-4 Classic
- HDS 10/21-4 M
- HDS 10/21-4 MXA
- HDS 1000 BE
- HDS 1000 DE
- HDS 5/11 U
- HDS 5/11 UX
- HDS 6/10 C
- HDS 6/12 C
- HDS 7/16 C
- HDS 8/20 De
- HDS 8/20 G
- HDS 9/20-4 Classic
- HDS 9/20-4 M
- HDS-E 8/16-4 M 12 kW
- HDS-E 8/16-4 M 24 kW
- HDS-E 8/16-4 M 36 kW