

ROLLER BRUSH 500 SOFT

Soft brush attachment for use with hydraulic drive (4.762-584.0). Ideal for glass and solar power installation cleaning. Easy quick-change system and secure mounting on drive.



Order no. 4.762-623.0


Technical data

EAN code		4054278821993
Inlet temperature	°C	40
Colour		blue
Weight incl. packaging	kg	1.7



Intuitive colour coding

- Colour coding facilitates the selection of the appropriate brush attachment.



Quick-change mechanism

- Quick brush replacement for simple adaptation to the cleaning task.

Streak-free cleaning close to the edge

- Bristles at the side as damping protection and for cleaning close to the edge.
- Streak-free cleaning results thanks to diagonal bristles in the middle of the brush.

COMPATIBLE MACHINES

- Drive for roller brush 500
- HD 10/25-4 S
- HD 10/25-4 SXA Plus
- HD 4/11 C Bp Pack Plus
- HD 5/11 P
- HD 5/12 C
- HD 6/15 M 50Hz *KAP
- HD 6/16-4 M Plus *EU
- HD 7/10 CXF
- HD 7/11-4 M Classic
- HD 9/20-4 M Classic
- HD 9/23 De
- HDS 10/21-4 M
- HDS 1000 De
- HDS 1000 De Weed
- HDS 6/14-4 C
- HDS 8/18-4 C
- HDS-E 8/16-4 M 24 kW