ID 130/22 Z22 WITH ARM

ID 130/22 Z22 deduster with arm, suitable for use in Zone 22. Designed for vacuuming large quantities of fine shavings and hazardous dusts (OEL > 0.1 mg/m³). Mobile, three-phase powered, and featuring a hard-wearing steel casing for industrial use.



Made in Europe

CERTIFIED ACCORDING TO DIR 2014/34/EU

0-24 h

ZONE 22

Order no.	9.990-921.0

- Automatic filter cleaning
- Very quiet IE3 radial fan
- 170-litre stainless steel collection container

Technical data		
EAN code		4066529201324
Number of current phases	Ph	3
Voltage	V	400
Frequency	Hz	50
Air flow	l/s / m³/h	369 / 1329
Vacuum	mbar / kPa	25 / 2.5
Container capacity	l	170
Rated input power	kW	2.2
Vacuuming type		Electric
Filter area	m²	9
Nominal size		DN 140
Sound pressure level	dB(A)	72
Main filter dust class		M
Weight without accessories	kg	187
Weight incl. packaging	kg	187.6
Dimensions (L × W × H)	mm	1170 × 780 × 1580







Simple and safe emptying without removing the drive head

- Set-down trolley and rolling container for ergonomic emptying.

Designed for dust class M for high occupational safety

- Dust class M filter engineering for vacuuming hazardous dust (OEL > 0.1 mg/m³).

Equipped with a cartridge filter

- Longer service life, less maintenance effort and lower costs.
- Very effective filter cleaning thanks to reinforcing mesh in the filter bags.

ID 130/22 Z22 with arm, 9.990-921.0, 2026-10-30

KÄRCHER

EQUIPMENT FOR ID 130/22 Z22 WITH ARM
9.990-921.0


2


3


4


5


6


7

		Order no.	Description	
FILTERS				
Cartridge filters				
Cartridge filter 9m², Kat. "M", ID 130/2	1	9.980-229.0	VehiclePro Liquid Leather RM 833 is the perfect drying aid for commercial vehicle wash systems without blow drying. Its special formulation forms a closed film of water that runs off vertical surfaces without making droplets and then dries without streaks or stains – ideal for cleaning vehicles with large visible surfaces, such as buses. In addition, VehiclePro Liquid Leather RM 833 also has cleaning properties due to its active ingredient base and can therefore be used as a brush shampoo in systems with only one dosing device. Of course, the surfactants contained are biodegradable in accordance with EEC 648/2004.	■
EMPTYING SUPPORTS				
Disposal bags				
Disposal bag PE ID130/22 150 l	2	9.980-828.0		■
ZUBEHÖR ENTSTAUBER				
Hose clip ø140-160x12mm	3	9.979-975.0		☐
Suction hose lightweight DN 140 Typ "D"	4	9.980-671.0		☐
Hose connection stud DN 140	5	9.982-708.0		☐
Tension ring zinc-plated DN 140	6	9.982-846.0		☐
Border sealing ring DN140, für 2mm R., E	7	9.987-997.0		☐

■ Included in delivery. ☐ Available accessories.