

## IVM 40/24-2 M ACD SET (110V)

The IVM 40/24-2 M ACD Set dual-motor mobile middle class industrial vacuum cleaner, which includes accessories, impresses when it comes to picking up fine and coarse combustible types of dust.



Order no.

9.991-150.0

- ACD - Applied for Combustible Dust
- Stainless steel container, Pull-and-Clean filter cleaning, 4 accessories holders

### Technical data

|                             |            |                  |
|-----------------------------|------------|------------------|
| EAN code                    |            | 4066529241672    |
| Number of current phases    | Ph         | 1                |
| Voltage                     | V          | 110 - 127        |
| Frequency                   | Hz         | 50 - 60          |
| Air flow                    | l/s / m³/h | 2 × 70 / 2 × 252 |
| Vacuum                      | mbar       | 245              |
| Container capacity          |            | 40               |
| Container material          |            | Stainless steel  |
| Rated input power           | kW         | 2.3              |
| Vacuuming type              |            | Electric         |
| Nominal size                |            | DN 70            |
| Accessory nominal size      |            | DN 50            |
| Sound pressure level        | dB(A)      | 76               |
| Cable length                | m          | 7.5              |
| Main filter dust class      |            | M                |
| Filter area for main filter | m²         | 1.5              |
| Colour                      |            | silver           |
| Weight without accessories  | kg         | 35.7             |
| Weight incl. packaging      | kg         | 38               |
| Dimensions (L × W × H)      | mm         | 645 × 655 × 1150 |


### Equipment

- Main filter: Star filter
- Accessories included with machine: yes
- Container emptying: Set down chassis



## ACD – Applied for Combustible Dust

- For the safe and economical vacuuming of combustible dusts.
- Conforms to the IEC 60335-2-69 standard.



## Dust class M

- Complete device certified according to DIN EN 60335-2-69 for dust class M.



## Manual pull-and-clean filter cleaning

- Filter is cleaned in a single step during operation.
- Low-wear dedusting by means of air reversal.

## EQUIPMENT FOR IVM 40/24-2 M ACD SET (110V)

9.991-150.0



|                                                |    | Order no.   | Description                                                                                               |   |
|------------------------------------------------|----|-------------|-----------------------------------------------------------------------------------------------------------|---|
| <b>NOZZLES</b>                                 |    |             |                                                                                                           |   |
| <b>Standard nozzles</b>                        |    |             |                                                                                                           |   |
| Standard nozzle silicon FDA transparent        | 1  | 9.989-844.0 |                                                                                                           | ■ |
| Standard nozzle silicon FDA blue DN-F50        | 2  | 9.989-841.0 |                                                                                                           | □ |
| Standard nozzle silicon FDA green DN-F50       | 3  | 9.989-842.0 |                                                                                                           | □ |
| Standard nozzle silicon FDA red DN-F50         | 4  | 9.989-843.0 |                                                                                                           | □ |
| Standard nozzle silicon FDA white DN-F50       | 5  | 9.989-845.0 |                                                                                                           | □ |
| Standard nozzle silicon FDA yellow DN-F5       | 6  | 9.989-846.0 |                                                                                                           | □ |
| Standard nozzle PVC DN50                       | 7  | 9.989-673.0 | Electroconductive standard PVC nozzle. DN 50.                                                             | □ |
| Nozzle elastic silicon DN52                    | 8  | 9.988-402.0 |                                                                                                           | □ |
| Standard nozzle rubber cuttable DN50           | 9  | 9.989-675.0 | Standard nozzle, electroconductive, made from cuttable rubber. DN 50.                                     | □ |
| Standard aluminium nozzle DN50                 | 10 | 9.980-749.0 | Diagonal nozzle made from anodised aluminium, electroconductive, DN 50.                                   | □ |
| <b>Standard nozzles bendable</b>               |    |             |                                                                                                           |   |
| Nozzle, zinc coated, flexible, with rubber tip | 11 | 9.981-421.0 | Electroconductive, flexible round nozzle made from galvanised steel, DN 50, with rubber mouthpiece DN 30. | □ |
| <b>Floor nozzles</b>                           |    |             |                                                                                                           |   |
| Bottom nozzle Edelstahl AISI 316L blue         | 12 | 9.989-862.0 |                                                                                                           | □ |
| Floor nozzle stainless steel AISI 316L g       | 13 | 9.989-864.0 |                                                                                                           | □ |
| Floor nozzle stainless steel AISI 316L r       | 14 | 9.989-866.0 |                                                                                                           | □ |

■ Included in delivery. □ Available accessories.

## EQUIPMENT FOR IVM 40/24-2 M ACD SET (110V)

### 9.991-150.0



|                                          |    | Order no.   | Description                                                                           |                          |
|------------------------------------------|----|-------------|---------------------------------------------------------------------------------------|--------------------------|
| <b>NOZZLES</b>                           |    |             |                                                                                       |                          |
| <b>Floor nozzles</b>                     |    |             |                                                                                       |                          |
| Floor nozzle stainless steel AISI 316L t | 15 | 9.989-868.0 |                                                                                       | <input type="checkbox"/> |
| Floor nozzle stainless steel AISI 316L w | 16 | 9.989-870.0 |                                                                                       | <input type="checkbox"/> |
| Floor nozzle stainless steel AISI 316L y | 17 | 9.989-872.0 |                                                                                       | <input type="checkbox"/> |
| Floor nozzle stainless steel AISI 304 40 | 18 | 9.989-915.0 |                                                                                       | <input type="checkbox"/> |
| Floor nozzle stainless steel 400 mm DN-F | 19 | 9.989-935.0 |                                                                                       | <input type="checkbox"/> |
| Floor nozzle aluminium 400 mm DN-F50     | 20 | 9.989-937.0 |                                                                                       | <input type="checkbox"/> |
| Floor nozzle Alu 370 mm DN50             | 21 | 9.989-664.0 | Floor nozzle. 370 mm, made from aluminium. DN 50.                                     | <input type="checkbox"/> |
| Multi-purpose nozzle 370mm el. leit., DN | 22 | 9.987-612.0 | Electroconductive multi-purpose floor nozzle. 370 mm wide, DN 50.                     | <input type="checkbox"/> |
| Floor nozzle Alu 500 mm DN50             | 23 | 9.989-684.0 | Floor nozzle, 500 mm, made from aluminium. Electroconductive. DN 50.                  | <input type="checkbox"/> |
| Multi-purpose nozzle 370mm el. leit., DN | 24 | 9.988-115.0 | Floor nozzle (370 mm) made from stainless steel, electroconductive, DN 50.            | <input type="checkbox"/> |
| <b>Lane nozzles</b>                      |    |             |                                                                                       |                          |
| Lane nozzle set                          | 25 | 9.991-032.0 |                                                                                       | <input type="checkbox"/> |
| <b>Crevice nozzles</b>                   |    |             |                                                                                       |                          |
| Crevice nozzle stainless steel DN50      | 26 | 9.989-283.0 |                                                                                       | <input type="checkbox"/> |
| Crevice nozzle, lightweight plastic      | 27 | 9.988-117.0 | Electroconductive, flat multi-purpose crevice nozzle made from plastic, DN 52.        | <input type="checkbox"/> |
| Crevice nozzle 25 mm × 120 mm DN50       | 28 | 9.981-465.0 | Electroconductive crevice nozzle made from sheet steel, DN 50, with 25 mm slot width. | <input type="checkbox"/> |

☐ Available accessories.

## EQUIPMENT FOR IVM 40/24-2 M ACD SET (110V) 9.991-150.0



|                                            |    | Order no.   | Description                                                                                            |                          |
|--------------------------------------------|----|-------------|--------------------------------------------------------------------------------------------------------|--------------------------|
| <b>NOZZLES</b>                             |    |             |                                                                                                        |                          |
| <b>Crevice nozzles</b>                     |    |             |                                                                                                        |                          |
| Crevice nozzle slot nozzle V2A AK DN50     | 29 | 9.988-123.0 | Stainless steel crevice nozzle, DN 50, suitable for use with foods.                                    | <input type="checkbox"/> |
| <b>Crevice nozzles bendable</b>            |    |             |                                                                                                        |                          |
| Crevice nozzle nozzle flexible silicone    | 30 | 9.989-847.0 |                                                                                                        | <input type="checkbox"/> |
| Flexible crevice nozzle 12 mm × 45 mm DN50 | 31 | 9.981-424.0 | Flexible, electroconductive galvanised crevice nozzle, DN 50, with 13 mm slot width.                   | <input type="checkbox"/> |
| Crevice nozzle, zinc coated, flexible      | 32 | 9.981-425.0 | Flexible and electroconductive crevice nozzle made from galvanised steel with 20 mm slot width, DN 50. | <input type="checkbox"/> |
| <b>Surface nozzles</b>                     |    |             |                                                                                                        |                          |
| Standard nozzle silicon FDA blue DN-F40    | 33 | 9.989-850.0 |                                                                                                        | <input type="checkbox"/> |
|                                            | 34 | 9.989-852.0 |                                                                                                        | <input type="checkbox"/> |
|                                            | 35 | 9.989-854.0 |                                                                                                        | <input type="checkbox"/> |
|                                            | 36 | 9.989-856.0 |                                                                                                        | <input type="checkbox"/> |
|                                            | 37 | 9.989-858.0 |                                                                                                        | <input type="checkbox"/> |
|                                            | 38 | 9.989-860.0 |                                                                                                        | <input type="checkbox"/> |
| Nozzle with connecting piece 90° DN50      | 39 | 9.988-119.0 | Electroconductive rubber nozzle, angled, DN 50, suitable for use with foods.                           | <input type="checkbox"/> |
| <b>HOSES</b>                               |    |             |                                                                                                        |                          |
| <b>PVC</b>                                 |    |             |                                                                                                        |                          |
| Hose PVC DN50 3 m                          | 40 | 9.989-964.0 |                                                                                                        | ■                        |
| Hose PVC DN50 5 m                          | 41 | 9.989-965.0 |                                                                                                        | <input type="checkbox"/> |
| Hose PVC DN50 3 m                          | 42 | 9.989-615.0 | Electroconductive PVC hose, DN 50. Temperature-resistant up to 85 °C. Length: 3 m.                     | <input type="checkbox"/> |

■ Included in delivery.    □ Available accessories.

## EQUIPMENT FOR IVM 40/24-2 M ACD SET (110V) 9.991-150.0



|                                          |    | Order no.   | Description                                                                                 |                                                                                      |
|------------------------------------------|----|-------------|---------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| HOSES                                    |    |             |                                                                                             |                                                                                      |
| PVC                                      |    |             |                                                                                             |                                                                                      |
| Hose PVC DN50 5 m                        | 43 | 9.989-616.0 | Electroconductive PVC hose, DN 50. Temperature-resistant up to 85 °C. Length: 5 m.          | <input type="checkbox"/>                                                             |
| PO-Schläuche                             |    |             |                                                                                             |                                                                                      |
| Hose EVA el. ø50mm 3m                    | 44 | 9.990-924.0 |                                                                                             | <input type="checkbox"/>                                                             |
| EVA                                      |    |             |                                                                                             |                                                                                      |
| Hose EVA DN50 3 m                        | 45 | 9.989-984.0 |                                                                                             | <input type="checkbox"/>                                                             |
| Hose EVA DN50 5 m                        | 46 | 9.989-985.0 |                                                                                             | <input type="checkbox"/>                                                             |
| Extension hose EVA el. DN52 3m           | 47 | 9.988-090.0 |                                                                                             | Electroconductive hose with NW50. Suitable for temperatures up to 65°C. Length: 3 m. |
| Extension hose EVA el. DN52 5m           | 48 | 9.988-091.0 | <input type="checkbox"/>                                                                    |                                                                                      |
| PU                                       |    |             |                                                                                             |                                                                                      |
| Hose PU FDA DN50 3 m                     | 49 | 9.989-973.0 |                                                                                             | <input type="checkbox"/>                                                             |
| Hose PU FDA DN50 5 m                     | 50 | 9.989-974.0 |                                                                                             | <input type="checkbox"/>                                                             |
| HANDLES                                  |    |             |                                                                                             |                                                                                      |
| Handle stainless steel AISI 304          | 51 | 9.989-897.0 |                                                                                             | <input checked="" type="checkbox"/>                                                  |
| Handle straight stainless steel AISI 304 | 52 | 9.989-899.0 |                                                                                             | <input type="checkbox"/>                                                             |
| Hand grip el. ø50mm IK50 – AK50          | 53 | 9.990-930.0 |                                                                                             | <input type="checkbox"/>                                                             |
| Hand grip 45°, DN 52 ohne Sterngriff     | 54 | 9.977-678.0 | Electroconductive and 45° curved handle made from stainless steel. Inner cone DN 50.        | <input type="checkbox"/>                                                             |
| Hand grip curved stainless steel 45°, IK | 55 | 9.988-111.0 | Curved and electroconductive handle made from stainless steel. Angle 45°, inner cone NW 50. | <input type="checkbox"/>                                                             |
| OTHER ACCESSORIES                        |    |             |                                                                                             |                                                                                      |
| Accessories holder completely            | 56 | 9.991-147.0 |                                                                                             | <input checked="" type="checkbox"/>                                                  |

■ Included in delivery.    □ Available accessories.

## EQUIPMENT FOR IVM 40/24-2 M ACD SET (110V)

### 9.991-150.0



|                                           |    | Order no.   | Description                                                                                                                               |   |
|-------------------------------------------|----|-------------|-------------------------------------------------------------------------------------------------------------------------------------------|---|
| <b>OTHER ACCESSORIES</b>                  |    |             |                                                                                                                                           |   |
| Power cable storage compartment           | 57 | 5.037-240.0 | The power cord is stored on a hook attached to the tubular frame. The practical cord hook is suitable for a pipe diameter of 30 to 32 mm. | ■ |
| Cable drum with 25 m cable                | 58 | 9.982-080.0 | AC cable drum with 25 m cable, for fixing in accessories holder 6.415-930.0.                                                              | □ |
| <b>SUCTION TUBES</b>                      |    |             |                                                                                                                                           |   |
| Suction tube stainless steel AISI 304 DN  | 59 | 9.989-913.0 |                                                                                                                                           | □ |
| Suction tube el. ø50mm IK50 - AK50        | 60 | 9.990-934.0 |                                                                                                                                           | □ |
| Extension pipe 850mm DN 50, SBG           | 61 | 9.977-531.0 | 850 mm long extension tube made from steel. Electroconductive and with inner cone DN 50.                                                  | □ |
| Hand grip curved stainless steel 45°IK D  | 62 | 9.989-035.0 | Electrically conductive suction tube (1500 mm) made of aluminium with 50 mm diameter.                                                     | □ |
| Extension pipe stainless steel DN50 IK,   | 63 | 9.988-114.0 | Electroconductive extension tube made from stainless steel. Inner cone NW 50.                                                             | □ |
| <b>ADAPTERS / REDUCERS / DISTRIBUTORS</b> |    |             |                                                                                                                                           |   |
| <b>Reducers</b>                           |    |             |                                                                                                                                           |   |
| Reducer V2A DN72 auf DN52                 | 64 | 9.989-712.0 |                                                                                                                                           | ■ |
| Reducer DN 70/DN 50 (SBG)                 | 65 | 9.977-772.0 |                                                                                                                                           | □ |
| <b>Adapter Accessory</b>                  |    |             |                                                                                                                                           |   |
| Adapter Food DN-F50                       | 66 | 9.993-011.0 |                                                                                                                                           | □ |
| <b>Distributors</b>                       |    |             |                                                                                                                                           |   |
| Distributor Y-piece stainless steel AISI  | 67 | 9.989-895.0 |                                                                                                                                           | □ |
| Y-adapter ID 52 to 2 × ID 42              | 68 | 9.981-149.0 | Manifold, electroconductive, steel, DN 50/40/40.                                                                                          | □ |
| <b>FILTERS</b>                            |    |             |                                                                                                                                           |   |
| <b>Pocket- / Star filters</b>             |    |             |                                                                                                                                           |   |
| Star filter PE/PTFE el. M 1,6m²           | 69 | 9.990-222.0 |                                                                                                                                           | ■ |
| Star filter M NOMEK 1,6m²                 | 70 | 9.991-243.0 |                                                                                                                                           | □ |

■ Included in delivery. □ Available accessories.

## EQUIPMENT FOR IVM 40/24-2 M ACD SET (110V)

### 9.991-150.0




|                                          |    | Order no.   | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |   |
|------------------------------------------|----|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| <b>EMPTYING SUPPORTS</b>                 |    |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |   |
| <b>Disposal bags</b>                     |    |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |   |
| Disposal bag ø540 mm 50 l 5x             | 71 | 9.989-606.0 | For dust-free emptying: 5 PE emptying bags with 50 l capacity. Diameter: 540 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | ■ |
| PE emptying bag dia. 540 mm 50 l         | 72 | 9.977-885.0 | The alkaline VehiclePro Rim Cleaner, alkaline RM 801 Classic, for effective and fast removal of common dirt caused by brake dust, tyre wear or road salt, as well as limescale stains on vehicle rims: the alkaline VehiclePro Rim Cleaner, alkaline RM 801 Classic. Gentle on rims, the highly effective cleaner does not attack uncoated concrete floors or steel wheel arch. RM 801 is suitable for use in vehicle wash systems, at self-service washing stations and with spray units, and is 90 per cent biodegradable – the surfactants it contains are in accordance with EEC 648/2004. With a cleaning performance of some 400 rims per litre, the established standard cleaner is also very economical and efficient. | □ |
| <b>ACCESSORY SETS</b>                    |    |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |   |
| <b>Solid / Dust</b>                      |    |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |   |
| Kit food DN50                            | 73 | 9.989-941.0 | Food accessory kit: PU hose 3 m (9.989-973.0), handle (9.989-899.0), standard nozzle (9.989-844.0), brush (9.989-880.0), reducer (9.989-712.0), adapter (9.993-011.0).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | □ |
| Kit overhead cleaning DN50               | 74 | 9.989-943.0 | Accessory kit DN 50 for overhead cleaning: suction tubes (9.989-921.0/9.993-009.0), handles (9.989-917.0/9.989-919.0), standard nozzle (9.989-844.0), brush (9.989-880.0), adapter (9.993-011.0).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | □ |
| Professional General Cleaning Kit conduc | 75 | 9.990-877.0 | Professional dry floor cleaning set: adapter (9.990-874.0), hose (2.889-141.0), bend (2.889-172.0), 2 × suction tube (2.889-194.0), 3 × nozzles (6.906-958.0, 6.903-033.0, 6.902-105.0).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | □ |
| Floor Cleaning Kit cond. Advanced DN40   | 76 | 9.990-893.0 | Advanced dry floor cleaning set: EVA hose (9.990-923.0), handle (9.990-929.0), 2 × suction tube (9.990-933.0), floor nozzle (9.990-935.0), standard nozzle (9.980-773.0).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | □ |
| Floor Cleaning Kit cond. Advanced DN50   | 77 | 9.990-894.0 | Advanced dry floor cleaning set: EVA hose (9.990-924.0), handle (9.990-930.0), 2 × suction tube (9.990-934.0), floor nozzle (9.990-936.0), standard nozzle (9.980-761.0).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | □ |
| Accessories kit furnace Expert DN35      | 78 | 9.991-106.0 | Accessory kit for oven cleaning: adapter (9.990-987.0), adapter (5.031-436.0), suction hose (4.440-731.0), suction tube (4.321-161.0), 2 × suction tube (6.902-124.0), oven nozzle (4.130-104.0).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | □ |
| Kit solid dust DN50                      | 79 | 9.989-662.0 | Accessory kit DN 50 for industrial vacuum cleaners (solids and dust): EVA hose (9.988-090.0), handle (9.977-678.0), standard nozzle (9.988-402.0), reducer (9.977-772.0).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | □ |
| <b>BRUSHES</b>                           |    |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |   |
| <b>Standard brushes</b>                  |    |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |   |
| Standard brush 40 mm DN50                | 80 | 9.981-432.0 | Flat brush nozzle DN 50.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | □ |
| <b>Pencil brushes</b>                    |    |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |   |
| Brush FDA blue ø 75 mm DN-F50            | 81 | 9.989-874.0 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | □ |
| Brush FDA green ø 75 mm DN-F50           | 82 | 9.989-876.0 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | □ |
| Brush FDA red ø 75 mm DN-F50             | 83 | 9.989-878.0 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | □ |
| Brush FDA white ø 75 mm DN-F50           | 84 | 9.989-880.0 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | □ |

■ Included in delivery. □ Available accessories.

## EQUIPMENT FOR IVM 40/24-2 M ACD SET (110V)

### 9.991-150.0



|                                                   |    | Order no.   | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                          |
|---------------------------------------------------|----|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| <b>BRUSHES</b>                                    |    |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                          |
| <b>Pencil brushes</b>                             |    |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                          |
| Brush FDA yellow ø 75 mm DN-F50                   | 85 | 9.989-882.0 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <input type="checkbox"/> |
| <b>Surface brushes</b>                            |    |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                          |
| Vacuum brush                                      | 86 | 9.981-912.0 | Vacuum brush, 300 mm, with 45° connection, with star screw, horsehair bristles.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <input type="checkbox"/> |
| <b>Cylinder brushes</b>                           |    |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                          |
| Cylinder brush ø 100 mm F-DN50                    | 87 | 9.989-925.0 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <input type="checkbox"/> |
| Cylinder brush ø 200 mm F-DN50                    | 88 | 9.989-926.0 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <input type="checkbox"/> |
| <b>PRE-SEPARATORS</b>                             |    |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                          |
| <b>Pre-separators</b>                             |    |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                          |
| Pre-separator station SB 100L                     | 89 | 9.982-243.0 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <input type="checkbox"/> |
| Pre-separator Ef solid materials 100 l DN70       | 90 | 9.982-238.0 | Mobile pre-separator station with 100 l capacity and discharge flap.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | <input type="checkbox"/> |
| Pre-separator tank dust 60 l DN50                 | 91 | 9.989-688.0 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <input type="checkbox"/> |
| Pre-separator tank 200 l                          | 92 | 9.989-685.0 | Standard drum which complies with the ISO 15750-2 standard.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | <input type="checkbox"/> |
| <b>Pre-separator covers</b>                       |    |             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                          |
| Pre-separator lid DN 50, for 200 l drum           | 93 | 9.981-659.0 | VehiclePro Brush Shampoo RM 811 Classic is suitable for use in vehicle wash systems and commercial vehicle washes. It reliably removes grease, oil, dirt caused by emissions and typical road dirt, and helps the brushes to slide, while also reducing their resoiling rate so they can keep working for longer. In addition, RM 811 Classic can also be used as an active foam and protects the vehicle paintwork. The economical brush shampoo is capable of cleaning up to 100 cars for every litre, and is designed to work with subsequent wax products to prevent streaks from forming on the paintwork. Surfactants contained in the formula are biodegradable according to OECD. What's more, it separates oil and water quickly in the oil separator. | <input type="checkbox"/> |
| Pre-separator cover Op liquids ø 575 mm DN70      | 94 | 9.981-662.0 | Pre-separator cover DN 70 for 200 litre standard drum (9.989-685.0).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | <input type="checkbox"/> |
| Pre-separator cover solid materials ø 517 mm DN70 | 95 | 9.981-665.0 | Pre-separator cover DN 70. Suitable for containers with 517 mm diameter.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | <input type="checkbox"/> |
| Pre-separator cover solid materials ø 575 mm DN70 | 96 | 9.981-661.0 | Pre-separator cover DN 70 for 200 litre standard drum (9.989-685.0).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | <input type="checkbox"/> |

☐ Available accessories.